



CONTACT: 01642 370898 www.pondxpert.co.uk

CATEGORY	CONTENTS	PAGE
Solar Pond	Solar TripleAction & UVC	3
	Solar Filters - EcoFilter	4
	SolarShower Pumps (Battery)	5
	SunnyPump (Direct Sun Only)	6
	SolarPulse Pumps & Spitters	7
	SolarFalls Water Features	8
	SolarAir Air Pumps	9
	Solar Underwater Lights	10-11
Pond Pumps	TripleAction All-in-One Pumps	12-13
	MightyMite Filter Pumps	14
	UltraFlow Filter Pumps	15
	VariFlow Filter Pumps	16-17
	VariFlow Strainer+ Pumps	18
	FeatureFlow & Fountasia Pumps	19
Pond Filters	SpinClean Pressure Filter	20-21
	SpinClean AUTO Pressure Filter	22-23
	Filte Dev Filters 9 Creen Sten UVC	24
	FiltoBox Filters & GreenStop UVC	24
PondCreator Mercha	•	24 25-28
PondCreator Mercha Maintenance	•	
	ndising Solution	25-28
	ndising Solution UV Bulbs, Dechlorinators & Tests	25-28 29
	ndising Solution UV Bulbs, Dechlorinators & Tests Pond Vacuums	25-28 29 30-31
	ndising Solution UV Bulbs, Dechlorinators & Tests Pond Vacuums VariNet Pond Nets	25-28 29 30-31 32-33
	ndising Solution UV Bulbs, Dechlorinators & Tests Pond Vacuums VariNet Pond Nets Cover Nets & Skimmer	25-28 29 30-31 32-33 34
	ndising Solution UV Bulbs, Dechlorinators & Tests Pond Vacuums VariNet Pond Nets Cover Nets & Skimmer Outdoor Electrics	25-28 29 30-31 32-33 34 35
	ndising Solution UV Bulbs, Dechlorinators & Tests Pond Vacuums VariNet Pond Nets Cover Nets & Skimmer Outdoor Electrics ElectroAir Air Pumps	25-28 29 30-31 32-33 34 35 36-37
Maintenance	dising Solution UV Bulbs, Dechlorinators & Tests Pond Vacuums VariNet Pond Nets Cover Nets & Skimmer Outdoor Electrics ElectroAir Air Pumps Pond Protectors & Creatures Waterfalls & Filter Foams Pond Liners	25-28 29 30-31 32-33 34 35 36-37 38
Maintenance	ndising Solution UV Bulbs, Dechlorinators & Tests Pond Vacuums VariNet Pond Nets Cover Nets & Skimmer Outdoor Electrics ElectroAir Air Pumps Pond Protectors & Creatures Waterfalls & Filter Foams	25-28 29 30-31 32-33 34 35 36-37 38 39
Maintenance Pond Construction Planting	dising Solution UV Bulbs, Dechlorinators & Tests Pond Vacuums VariNet Pond Nets Cover Nets & Skimmer Outdoor Electrics ElectroAir Air Pumps Pond Protectors & Creatures Waterfalls & Filter Foams Pond Liners Preformed Ponds Planting Equipment	25-28 29 30-31 32-33 34 35 36-37 38 39 40-42
Maintenance Pond Construction	Normalization UV Bulbs, Dechlorinators & Tests Pond Vacuums VariNet Pond Nets Cover Nets & Skimmer Outdoor Electrics ElectroAir Air Pumps Pond Protectors & Creatures Waterfalls & Filter Foams Pond Liners Preformed Ponds Planting Equipment PondOLight & BrightPond LED	25-28 29 30-31 32-33 34 35 36-37 38 39 40-42 43
Maintenance Pond Construction Planting	dising Solution UV Bulbs, Dechlorinators & Tests Pond Vacuums VariNet Pond Nets Cover Nets & Skimmer Outdoor Electrics ElectroAir Air Pumps Pond Protectors & Creatures Waterfalls & Filter Foams Pond Liners Preformed Ponds Planting Equipment	25-28 29 30-31 32-33 34 35 36-37 38 39 40-42 43 44-45
Maintenance Pond Construction Planting Pond Lights	Normalization UV Bulbs, Dechlorinators & Tests Pond Vacuums VariNet Pond Nets Cover Nets & Skimmer Outdoor Electrics ElectroAir Air Pumps Pond Protectors & Creatures Waterfalls & Filter Foams Pond Liners Preformed Ponds Planting Equipment PondOLight & BrightPond LED	25-28 29 30-31 32-33 34 35 36-37 38 39 40-42 43 44-45 46
Maintenance Pond Construction Planting Pond Lights Fun Features	Indising Solution UV Bulbs, Dechlorinators & Tests Pond Vacuums VariNet Pond Nets Cover Nets & Skimmer Outdoor Electrics ElectroAir Air Pumps Pond Protectors & Creatures Waterfalls & Filter Foams Pond Liners Preformed Ponds Planting Equipment PondOLight & BrightPond LED ViewTubes Fish Viewing Towers	25-28 29 30-31 32-33 34 35 36-37 38 39 40-42 43 44-45 46 47



NEW POND PRODUCTS **GUARANTEED TO APPEAL TO** ALL YOUR CUSTOMERS

Small pond & water feature owners

Consumer demand in the 'solar' category has accelerated during the recent energy crisis. Take advantage with our expanded solar range that has DOUBLED in size with following new items:

- Solar All-in-One Pump see pg 3
- Solar Pulse Pumps with jumping jets see pg 7
- Solar Air Pump see pg 8
- Solar Water Features see pg 8
- Solar Underwater Lights see pg 10-11

Core pond-owner market

- SolarPro Pond Pump 3000 see pg 5
- Stumpy Faux Oak Seat/Cover see pg 18
- Non-Stop Pond Vacuum see pg 31

Large ponds & Koi

- UltraFlow 20000 Pump see pg 15
- VariFlow 42/52000 Pumps see pg 16
- VariFlow Strainer + Pumps see pg 18
- SpinClean AUTO 75 Filter see pg 23

YOUR PERFECT POND PARTNER!



Solar - All-in-one Pumps

Solar TripleAction All-in-One Pump/Filter/UVC

TECHNOLOGY BREAKTHROUGH - INC. SOLAR UVC - EXCLUSIVE

Multi-functional TripleAction is the ideal all-in-one solution for pond owners that desire clear and healthy water.

Single submersible unit eliminates the complexity of conventional filtration systems of separate pumps, filters and UVC's.

- 5W UVC combats green water. User selects operation start time for pump & UV then on-board memory repeats start time automatically.
- Powerful solar pump with lithium battery
- Filter picks up dirt, prevents fountain clogging and keeps pump stable under water
- Mains Adapter included in scope of delivery. Allows battery to be powered up when sun not shining.



Model	Max Pond Ltrs	Max Fish Pond Ltrs	UVC Watts	Max Flow	Code	Barcode	Qty
TripleAction Solar 800	800	400	5W	450 LPH	PXSOLUVPUMP0800	5060600655197	1
TripleAction Solar 1600	1600	800	5W	850 LPH	PXSOLUVPUMP1600	5060600655203	1
SolarClear 5W	1600	800	5W	N/A	PXSOLUV05	5060600655166	1



SolarClear 5W Solar Powered UVC



Solar TripleAction & UVC



Solar Panel Power 9W (800) & 12W (1600). Lithium Battery 7.4V-2000mAH

12mm Inlet - compatible with SolarShower 400/600/800/1600 & SolarPro 3000

Solar - Pumps

Solar Pumps

Create the opportunity to have a fountain in your pond straight out of the box!

- No wiring
- No running costs

Multi-Colour

LED Lighting

This is the second generation of our solar pumps. There is a range of flow rates to suit any water garden and all pumps come with lithium battery back up and "auto-on" LED illumination.



The SolarShower Float makes a great stand-alone feature.

The solar panel is integrated

into the body of the floating

1) On/Off 2) LED Lights on/

EcoFilter 2000 Filter Contents

off 3) High/Low Flow 4)

Timer (60 mins running).

1 x Plastic Box Filter

4 x Foam Pieces

2 x Fine Filter Nets

EcoFilter 2000

(gravel not included)

has four programmes:

Perfect Upsell

Opportunity!

Add an inexpensive solar

filter to enhance pump

performance.

EcoFilter

Reliable 🗸 Battery Back-Up 🗸 LED Lights 🗸

SolarShower Float 200

Solar Panel Power: 1.4 Watts Max. water Flow: 200lph Max. water Height: 35cm pump. The supplied remote **Battery Power:** Lithium 3.7v **Remote Range:** 10 metres (33 feet)

EcoFilter Underwater Filters Solar Filter - Unique Exciting Concept

Entry-level compact submersible pond filter designed to be positioned UNDER the water surface. Perfect for keeping small ponds up to 4000 litres clear and healthy.

- Specifically designed to partner up with with Solar Pumps
- Solar Pumps tend to be lightweight and fragile the filter foams grip the fountain stem keeping it upright and also stop solid particles blocking the impellor
- Using a Solar Pump allows "Wireless Ponds" to be created. Customers can create a garden pond with no need for outdoor electrics
- Filter can also be used with fountain pumps foams prevent solid particles causing foam blockage
- Perfect budget solution for small/preformed ponds.

EcoFilter 4000

(gravel not included)

Model	Pond Size Lts	Dimensions	Capacity	Recommended Pump	Code	Barcode	Qty
EcoFilter 2000	2000	30 x 21 x 16cm	6.5 litres	SolarShower 300	PXEC02000	5060600652103	1
EcoFilter 4000	4000	31 x 21 x 26cm	10 litres	SolarShower 800	PXEC04000	5060600652110	1
8mm hose x 2m				SolarShower 300	PXHOSE10X2	5060600652547	1
12mm hose x 2m				SolarShower 800	PXHOSE12X2	5060600652554	1
Pond Gravel 3KG					PXGRA03	5060600652790	1
Zeolite 5kg*	* Zeolite can be use	d as ballast/weight ar	nd offers premium fi	Itration qualities.	PXZEOL05	5060600652486	1



SolarShower 200 Max Flow: 200 Ltrs per hr Power: 2 Watts, 5v Battery Max. Lift: 0.8 metres Lights: White LED



SolarShower 600

Max Flow: 600 Ltrs per hr Power: 7 Watts, 9v Battery Max. Lift: 1.4 metres Lights: White LED

3000 Filter Pump Set Game changer!

Solar Pump strong enough to power a typical pond on its own. Set includes:

- Control Unit
- Pump & Panels
- Mains Charger

Fountain kit & LEDs not included

Mains Adapters

All PondXpert solar pumps have a mains adapter available for indoor charging during cloudy weather

Max Flow: 800 Ltrs per hr Power: 9 Watts, 12v Battery Max. Lift: 2 metres Lights: White LED NEW

Code
PXSOLFLOAT
PXSOL200
PXSOL300
PXSOL400
PXSOL600
PXSOL800
PXSOL1600
PXSOL3000SET
PXSOLADAPT5
PXSOLADAPT9
PXSOLADAPT13
PXSOL3000BOOST





SolarShower 300

Max Flow: 300 Ltrs per hr **Power:** 3 Watts, 9v Battery Max. Lift: 1.2 metres Lights: White LED

FEATURE PACKED SOLAR PUMPS ------ PERFECT SOLUTION TO HIGH ENERGY COSTS

SolarShower





SolarShower 800



SolarShower 400 Max Flow: 400 Ltrs per hr Power: 5 Watts, 9v Battery Max. Lift: 1.4 metres Lights: White LED



SolarShower 1600

Max Flow: 1600 Ltrs per hr **Power:** 20W (2x10W) Battery: Lead Acid 12v Lights: White LED



SolarPro

Max. Flow: 3000 LPH 50W (2x25W) Power: Lead Acid 18.5v-4AH Battery: 20/25/32mm Outlet:

Booster Panel 25W

Reduce recharge time and boost flow



SunnyPump

SUNNYPUMP SOLAR FOUNTAINS REQUIRING DIRECT SUNLIGHT

PondXpert is famous for it's solar pumps with battery back-up. Now we enter the entry-level solar pump market with the launch of **SunnyPump**. (Pumps only work when the sun is out.)

SunnyPump Island 150

Pretty floating solar pump that produces a fountain display when it is sunny.

- Perfect for small ponds
- Ideal for birdbaths
- Integrated solar panel



1.4W Solar Panel Max fountain height 30cm



Includes three nozzles

SunnyPump 250

Powerful solar pump that produces a choice of fountain displays when it is sunny.



	P 250	
Ī	Revealed France	

nnyPump 2F

SpondXpert

Code	Barcode	Product Description
PXSUNNY0250	5060600652448	SunnyPump 250
PXSUNNYFL150	5060600652653	SunnyPump Island 150
PXSUNNY0900	5060600655579	SunnyPump 900

NEW



1.5W Solar Panel Max fountain height 60cm Max flow rate 250LPH Includes three nozzles

SunnyPump 900

Powerful fountain pump display in full sun.

10W Solar Panel

Co

Max. flow rate 900LPH Max Fountain Height 2m

Includes strainer bag to wrap around pump body and avoid blockages





Solar - Pumps

SolarPulse Pump 250

SolarPulse Pump 500

Max. Flow: 250LPH Power: 2 Watts Battery: Lithium 3.7v Outlet: 8mm

Max. Flow: 500LPH Power: 9 Watts Battery: Lithium 9v





Control panel on rear of solar panel allows consumer to select 'continuous flow' or 'intermittent' mode.

- Flow Mode Produce a continuous fountain or jet
- **Chop Mode** Bursts of water at intervals creating an amazing 'jumping jet' effect

Pond-side Ornamental Spitters Includes 8mm and 12mm hose (2m length). Fits most pumps including PondXpert SolarPulse

Frog Spitter (Small) 14 x 11 x 21cm (LWH)



Recommended optimal pump match SolarPulse 250

Model	Code	Barcode	Qty
SolarPulse Pump 250	PXSOLSPIT0250	5060600655173	1
SolarPulse Pump 500	PXSOLSPIT0500	5060600655180	1
Frog Spitter (Small)	PXSOLSPIT02	5060600655241	1
Frog Spitter (Large)	PXSOLSPIT05	5060600655272	1
Solar Extension Cable	PXSOLEXTCBL	5060600653711	1

Solar Power Extension Cable 5m

THIS CABLE IS COMPATIBLE WITH ALL PONDXPERT SOLAR PUMP SETS

Enables the user to increase the distance between pump and solar panel. Very handy when consumer is seeking the sunniest position for their panel.



Qty

1

1

1

SolarPulse



SOLAR FOUNTAINS WITH **BATTERY BACK-UP** PLUS ADDITIONAL **'PULSE' JUMPING** JET MODE OPTION.

Watching water jets 'jump' provides the owner with a novel and much more rewarding visual experience

Frog Spitter (Large) 33 x 24 x 33cm (LWH)



Recommended optimal pump match SolarPulse 500

2 Hose Pieces

Spitters are supplied with 2 hoses enabling 8mm easy connection with Pipe most pumps (Hose lengths 2m)



Solar - Water Features

SolarFalls

Curated range of self-contained solar powered water features. Each Set includes everything you need including pump & LED Lights. Features powered by our range of SolarShower Pumps. Mains adapters available for all features.

NEW

Terracotta Cascade

32x32x53cm (LWH)

Inc. 200LPH Pump.

TripleTumble 39x39x72cm (LWH) Inc. 300LPH Pump.



Contemporary BirdBath 41x39x71cm (LWH) Inc. 300LPH Pump.



SolarFalls

NEW

NEW

Product Description | Qty

Terracotta Cascade

5060200444269 Contemporary Birdbath

5060200444245 Elegance Classical

1

1

1

1

Barcode

5060200444283

5060200444276 TripleTumble

Solar Oxygenators

Solar Oxygenators

Provide the pond with vital oxygen in the summer months. A real favourite with consumers:

- No wiring
- No running costs

Our comprehensive range includes simple entry models plus pumps with battery backup and even a floating model.





Solar FloatingAir (2 types) Solar panel integrated into floating Unit. 150LPH. Single Airstone.

NEW version includes lithium battery.

SolarAir 150 Battery +

Solar air Pump with Lithium battery. Pump integrated into panel to save SolarAir 100 Entry model with single airstone. Max Output 100LPH. 1W Panel

space. 1W Panel.

Code	Barcode	Product Description	Qty
PXSOLAIRFLOAT	5060200443392	Solar Air Float	5
PXSOLAIRFLOATB	5060600653674	SolarAir Float Battery+	1
PXSOLAIR100	5060200443378	Solar Air Pump 100	20
PXSOLAIR150	5060200445891	Solar Air Pump 150 Battery+	20
PXSOLAIR200	5060200443361	Solar Air Pump 200	20
PXSOLAIR200+	5060200443385	Solar Air Pump 200 Battery+	10
PXSOLAIR300	5060600655593	SolarAir 300 Battery+	1
PXSOLADAPT63	5060200444306	6.3v Adaptor (SolarAir 200+)	1

SolarAir 300 Battery +

Introducing the most powerful solar air pump in our range. Includes high storage lithium battery and features three operating modes - Continuous, Intermittent and Gradient.





SolarAir



Battery+ models are all 'day & night' running - able to work when sun goes down and ponds shortest of oxygen





Twin airstones. Max Output 200lph. 1.4W Panel

SolarAir 200 Battery +

Solar air Pump with Nimh AA battery. Twin airstone. Battery can be charged by mains adaptor (available separately). 1.5W Panel





Charge by solar panel or USB connection indoors (USB cable included)

Power: 3.5 Watts

Battery: 3.7v/4000mAh

Output: 300 LPH

Set includes 2 airstones, airline (1.2m x 2), two check valves

Great for indoor fish tanks as well as ponds

Solar Pond Lights

SolarSublight SUPER - Premium Solar Submersible Lighting

Powerful solar lighting with enhanced solar power and higher capacity lithium batteries. Includes brightness level option (High/Low).

High quality 'no-leaks' construction.

SolarSublight SUPER Quad Set

A set of FOUR solar underwater lights.

Two lengths of main cable allow for extended positioning possibilities for the consumer.

Specifications

Solar Panel: 3.5 Watts Lithium Battery: 3.7v/3600mAh Lighting Power: 1.2W per light (144 lumens) Set illumination: 4.8W / 576 lumens Cable Length: 3 mtrs x 2 (1.15m between lights)

Running Time

Low Light: 24 hrs High Light 12 hrs Charge time: 8 hrs

SolarSublight SUPER Triple Set RGB

Specifications

Solar Panel: 3.5 Watts Lithium Battery: 3.7v/2200mAh Lighting Power: 1W per light (120 lumens) Set illumination: 3W / 360 lumens Cable Length: 3 mtrs (1.15m between lights)

Running Time

High Light: 10 hrs Charge time: 8 hrs

Modes of Operation

Auto-Cycle Colours auto-rotate between approx 7 colours Fixed Colour Lights can be fixed on Red, Green or Blue





SolarSublight

Qty

1

EAR

Code Barcode Product Description PXSOLSUPER04 5060600655562 SolarSublight SUPER Quad 5060600655548 SolarSublight SUPER TRIO PXSOLSUPER03 PXSOLSUPER03RGB 5060600655555 SolarSublight SUPER RGB

SolarSublight SUPER Triple Set

Specifications

Solar Panel: 3.5 Watts Lithium Battery: 3.7v/2200mAh Lighting Power: 1W per light (120 lumens) Set illumination: 3W / 360 lumens Cable Length: 3 mtrs (1.15m between lights)

Running Time

Low Light: 14 hrs High Light: 7 hrs Charge time: 8 hrs

Modes of Operation

Choose between Low/High Brigtness Ilumination



Solar Pond Lights

Solar Submersible Lighting

Waterproof solar powered LED spotlights that can be used in or out of the water.

- Bright white colour effect
- Lithium battery back-up 3.7v/3600mAh
- 2.5 Watt solar panel.
- 0.4W per lamp (48 lumens)
- 144 lumens per set
- 3m cable length

'Bright

White' colour



Dusk 'til Dawn Auto illumination



Single Spotlight

Duo Spotlight





Single and 'Duo' lights are Nimh battery backup.



NEW

Retail Shelving Unit POS

Contact your representative for details



Code	Barcode	Product Description	Qty
PXSOLSPOT01	5060200449516	Solar Spotlight Single	1
PXSOLSPOT02	5060200449523	Solar Spotlight Duo	1
PXSOLSPOT03	5060200449530	Solar Spotlight Triple	1
PXSOLSPOT03RGB	5060200449844	Solar Spotlight Triple RGB	1



NEW

NEW

EAR

NEW

SolarSublight

Underwater Use



Auto-Cycle Colours auto-rotate between approx 7 colours. Fixed Colour Lights can be fixed on Red, Green or Blue







Pond Pumps - All-in-One Pumps

TripleAction XL

Combined pond pump/filter/UVC designed for bigger ponds. The TripleAction 15000 power is boosted by inclusion of a larger pump and the filtration area can be increased by expanding the modular filter.

- All-in-One for bigger ponds up to 15000 Litres
- Mighty Max Flow 5200 LPH
- Powerful 13W UVC
- Large Fltration Area (can be increased)





Big Fountains



Clip-on Filter Cartridges increase filtration area.

(Bell & Tier)

LED Light Rings

Designed to fit Tripleaction 2000-9000. Available in colour change or white. Fits most other fountain pumps & 25mm hose.

TripleAction fountains can be illuminated by adding these LED Light Rings. Lights clip conveniently to fountain stems to 'uplight' fountain displays. 12 LED's per light.



TripleAction15000









Powerful Waterfalls

Annu

Integrated handle for easy lifting

The first 'All-in-One' Pump with enough power to create a 'Geyser' style fountain display! (nozzle available separately)

111 Hosetail 20-25mm

Dimensions: 35x31x20cm Max height inc. fountain 58 - 73cm Designed for ponds at least 26cm (10") deep.

Code	Barcode	Product Description	Qty
PXTP15000E	5060600652950	TripleAction 15000	1
PXTP15000EXT	5060600652967	TripleAction 15000 Filter Cartridge	1
SP-PXVFGEYS	5060600655623	TripleAction 15000 Geyser Jet Nozzle	1

1 1 1



Code	Barcode	Product Description	Qty
PXRINGWHT	5060600652899	White LED Light Ring	1
PXRINGCOL	5060600652882	Colour LED Light Ring	1

White light static. Colour light rotates through multiple colour states.

2 Watts illumination power (3.6W total power)

Mains transformer included 5m LV Cable

2m Mains Cable

Pond Pumps - All-in-One Pumps

TripleAction

Submersible pond pumps with built-in filter and UVC. A complete submersible filtration system in one handy unit. Very easy to install.

One electrical power cord powers all functions. Hides underwater leaving pond side clear of equipment. Expanded model range now means there is a solution to suit ponds sized 2000 to 9000 15000 Ltrs.

Each model packed with the **following features**:

- Large filtration area packed with filter media including foam and pods of biomedia.
- Reliable pond pump
- integrated UV unit to combat green water.
- Fountain Kit with a choice of three displays.
- T-Piece to allow directional flow to waterfall and fountain at the same time.
- Separate hosetail (12/20/25mm) to run without fountain.
- 'Tool Free' easy access for maintenance.
- 10m power cable



							,	
Model	Max Pond (no fish)	Max Pond (fish)	UVC Watts	Max Flow	Code	Barcode	Power	Qty
TripleAction 2000	2000 Ltrs	1000 Ltrs	5W	1000 LPH	PXTP02000E	5060600652165	24W	4
TripleAction 3000	3000 Ltrs	1500 Ltrs	9W	1000 LPH	PXTP03000E	5060600651663	28W	4
TripleAction 6000	6000 Ltrs	3000 Ltrs	11W	2000 LPH	PXTP06000E	5060600651816	45W	2
TripleAction 9000	9000 Ltrs	4500 Ltrs	13W	2500 LPH	PXTP09000E	5060600652172	59W	2
TripleAction 15000 XL	15000 Ltrs	7500 Ltrs	13W	5200 LPH	PXTP15000E	5060600652950	55W	2







Model	Max Flow	Flow @ 1m	Max Height	Power	Code	Barcode	Qty
MightyMite 1000	1000 LPH	300 LPH	1.5m	16W	PXMM01000	5060600651748	6
MightyMite 1500	1500 LPH	850 LPH	1.8m	25W	PXMM01500	5060600651755	6
MightyMite 2000	2000 LPH	1100 LPH	2.0m	35W	PXMM02000	5060200445686	6
MightyMite 2500	2500 LPH	1700 LPH	2.7m	45W	PXMM02500	5060200445693	6
MightyMite 3000	3000 LPH	2100 LPH	3.0m	55W	PXMM03000	5060200445709	6

MightyMite Filter Pumps

Perfect for customers with smaller fish ponds needing to feed a filter system and/or waterfall.

- Handle 4mm solids
- Suitable for running 24/7
- Easy tool-free access
- Three hosetails included
- 10m power cable
- Three year guarantee.

Dimensions LWH: 203 x 214 x103 mm Hose Outlet: 20, 25 and 32mm

No 'multi-language' box text. Designed to communicate to UK consumers. Increased space for additional consumer data.

need to cut a multistage hosetail down to

maximise flow.

Market leading consumer info Now includes potential waterfall height and maximum suggested pond size.



Inspiring Updated Packaging. Now with Three Year Guarantee.



Simple 'tools free' access to pump inside strainer cage. Makes cleaning any blockages simple.



Perfect pumps for creating small waterfalls.

Pond Pumps - Filter Pumps

Smart' ECO motor with integrated circuitry. Save 70% on power vs. 'standard' pumps. High 'back pressure' maintained.

Model	Max Flow	Flow @ 1m	Max Height	Power	Code	Barcode	Qty
UltraFlow 3000	3000 LPH	1600 LPH	2m	10W	PXUF03000	5060200448519	4
UltraFlow 3600	3600 LPH	2400 LPH	2.8m	20W	PXUF03600	5060200448526	4
UltraFlow 5300	5300 LPH	3900 LPH	3.3m	30W	PXUF05300	5060200448533	4
UltraFlow 6000	6000 LPH	4725 LPH	4.2m	40W	PXUF06000	5060200448540	4
UltraFlow 8000	8000 LPH	6900 LPH	5.6m	70W	PXUF08000	5060200448564	4
UltraFlow 10000	10000 LPH	8550 LPH	6.0m	80W	PXUF10000	5060200448571	4
UltraFlow 12000	12000 LPH	11400 LPH	6.5m	100W	PXUF12000	5060200448588	4
UltraFlow 14000	14000 LPH	12450 LPH	7.0m	120W	PXUF14000	5060200448595	4
UltraFlow 16000	16000 LPH	14775 LPH	7.5m	155W	PXUF16000	5060200448601	4
UltraFlow 20000 NEW	20000 LPH	17250 LPH	6.0m	180W	PXUF20000	5060600654596	2

UltraFlow Filter Pumps

The ultimate Pond waterfall and Filter Pump. Reliable and durable this solids-handling pump now comes with a three year guarantee. Pumps boast features the latest electronic motor with on-board IC 'intelligence'. Features include:

- Ultra Low Running costs
 6mm solids handling
 3 Year Guarantee
- Auto Off function when dangerously low water level detected.
- 'Tool Free' access to pump motor for easy maintenance.
- Pump can run sumbersed or 'dry' Includes two multi-stage hosetails (25/32/38mm)



Two Multi-stage Hosetails included. Keep as a spare - use for 'dry running' or use to attach an optional skimmer (not included).



'Dry' Running Option.

14



Perfect for gravity-fed filtration systems.





Handle on pump casing. Essential for safelifting. Pump Dimensions 25x18x12cm (LWH)

VariFlow Accessories



Images show VariFlow 30000 Geyser fountain in action. Fountain height controlled by LCD Control Unit operated pond-side. User can choose from 23 power settings.

VariFlow Fountain Kit

Create a fantastic **controllable** fountain spectacle.

- Max power for spectacular display
- Low height, night-time with economy energy
- Run a fountain and waterfall/filter simultaneously

Fountain kit with 3 nozzles (Tiered, Bell, Geyser).

Includes a TPiece allowing 20/25/32mm hose to be connected.

20000 and 30000 Fountain Kits contain 2" to 11/2" Reducer.



Pond Pumps - Filter Pumps

VariFlow Filter Pumps

Market leading variable-flow pond pump. Switch from a 'steady' flow to a 'torrent' via finger-touch control of the supplied LCD control unit. The user can fine-tune the flow to achieve achieve the effect they want (23 flow options). By controlling the flow running costs can be reduced by up to 88%. 50mm outlet. Supplied with multi-hose adapter 25-50mm (1" to 2"). Can be set up for 'dry' or submersible use.

Model	Max Power	Min Power	Max Flow	Min Flow	Max Head	Code	Barcode	Qty
VariFlow 10000	85W	15W	9200 LPH	4396 LPH	5.0m	PXVF10000	5060200444740	2
VariFlow 20000	187W	34W	19800 LPH	9300 LPH	6.5m	PXVF20000	5060200444757	2
VariFlow 30000	385W	45W	29295 LPH	11999 LPH	9.6m	PXVF30000	5060200444764	2
VariFlow 42000	IEW 450W	105W	42000 LPH	32060 LPH	6.5m	PXVF42000	5060600653889	2
VariFlow 52000	EW 600W	180W	52000 LPH	30658 LPH	8.5m	PXVF52000	5060600653896	2







MANIPULATING THE FLOW ADDS REAL 'DYNAMISM' TO WATERFALLS





should the need arise.

VariFlow

Flow/Height Performance Example

VariFlow 20000 Pump (Full Power)

- 0.5 metres: 18750 litres/ 4130 gallons 1 metre: 16250 litres/ 3579 gallons
- 1.5 metres: 13750 litres/ 3029 gallons
- 2 metres: 13000 litres/ 2863 gallons
- 3 metres: 10000 litres/ 2203 gallons
- 4 metres: 7500 litres/ 1652 gallons
- 5 metres: 5000 litres/ 1101 gallons

Max Pumping Height 6.5m



be

VariFlow Strainer + Variable Flow Pumps

These variable flow pumps dedicated to the traditional ornamental

pond owner. VariFlow pumps are growing in popularity with many

first adopters running them 'dry' for use with koi ponds. These new

Strainer + models offer all the benefits of the original VariFlow but

come complete with a strainer cage for submersible use. (They can

BRINGING BENEFITS OF VARIABLE FLOW TO THE ORNAMENTAL MARKET!

VariFlow

Optional large

strainer cage

RELIABLE ENERGY-EFFICIENT POND PUMPS

Fountasia

Comprehensive range of fountain pumps offering top features and best value for money.

- Dual Flow Control via sturdy 'T' Piece.
- 1 year guarantee. 10m power cable (33 feet).
- All pumps supplied with quality 'T' Piece

Model	Display	Power	Max Flow	Max Head	Hose Size	Code	Barcode	Qty
Fountasia 1000	A,B	14W	1000 LPH	1.8m	12-20	PXFT1000	5060200444122	12
Fountasia 1500	A,B	25W	1500 LPH	2.5m	12-20	PXFT1500	5060200444139	12
Fountasia 2000	A,B	35W	2000 LPH	2.5m	12-20	PXFT2000	5060200444146	12
Fountasia 3000	A,B,C	60W	3000 LPH	2.8m	12-25	PXFT3000	5060200444153	12
Fountasia 4000	A,B,C	70W	4000 LPH	2.9m	20-32	PXFT4000	5060200444160	12



Pond Pumps - Feature Pumps

FeatureFlow

water feature pumps. ch despite their fect for customers ater feature or as a ng feature.

- 1 year guarantee
- Flow adjuster

5m & 10m cab	le length	versions			5 Metre Power Cable		10 Metre Power Cable		11
Model	Power	Max Flow	Max Head	Hose Size	Code	Barcode	Code	Barcode	Qty
FeatureFlow 350	6W	350 LPH	0.7m	8-12	PXFEAT0350	5060200443910	PXFEAT0350X	5060200447642	12
FeatureFlow 450	5W	450 LPH	0.95m	8-12	PXFEAT0450	5060200443927	PXFEAT0450X	5060200447659	12
FeatureFlow 750	10W	700 LPH	1.4m	8-12	PXFEAT0750	5060200443934	PXFEAT0750X	5060200447666	12
FeatureFlow 1000	14W	950 LPH	1.8m	8-12	PXFEAT1000	5060200443941	PXFEAT1000X	5060200447673	12
FeatureFlow 1200	20W	1200 LPH	2.0m	12-20	PXFEAT1200	5060200443958	PXFEAT1200X	5060200447680	12
FeatureFlow 1500	25W	1500 LPH	2.5m	12-20	PXFEAT1500	5060200443965	PXFEAT1500X	5060200447697	8
FeatureFlow 2000	45W	2000 LPH	3.0m	12-20	PXFEAT2000	5060200443972	PXFEAT2000X	5060200447703	8
FeatureFlow 3000	70W	3000 LPH	3.5m	12-25	PXFEAT3000	5060200443989	PXFEAT3000X	5060200447710	8
FeatureFlow 4000	99W	4000 LPH	4.0m	12-25	PXFEAT4000	5060200443996	PXFEAT4000X	5060200447727	8

still run dry if required). 3 Year Guarantee 2 inch outlet 25/32/38/40mm outlet 10m power cable 3m Cable to control un		NEW		
	Adjustable 2" outlet for virtually any direction		nient handle nto the outer	

Model	Max Power	Min Power	Max Flow	Min Flow	Max Head	Code	Barcode	Qty
VF Strainer+ 5000	43W	24W	5000 LPH	2800 LPH	4.0m	PXVFSP05000	5060600654138	2
VF Strainer+ 10000	92W	30W	10000 LPH	4400 LPH	5.6m	PXVFSP10000	5060600654145	2
VF Strainer+ 20000	205W	52W	20000 LPH	9700 LPH	7.5m	PXVFSP20000	5060600654152	2
Stumpy						PXTREESTUMP	5060600655456	1

NEW

Stumpy - Faux Tree Stump

Realistic oak stump resin garden feature.

- Decorative Ornament
- Weatherproof Store/Cover Garden Seat (max load 150kg)





Comfortable Seating Provides natural looking outdoor seating.

Ultra-Realistic Feature Blends seamlessly into the landscape.

Materials: Durable poly-resin Dimensions: 38x38x47cm (WLH) Weight: 9kg



Ideal for providing weatherproof cover for variable flow pump control units, outdoor switchboxes and more...

Top Tip

Perfect size for hiding ugly gas barbecue bottles

Comprehensive range of v
These pumps pack a punc
compact size and are perfe
wishing to construct a wat
replacement for an existing
Top value
1 vear quarantee

le	length	versions			5 Metre Po	ower Cable 💙	10 Metre P		
P	ower	Max Flow	Max Head	Hose Size	Code	Barcode	Code	Barcode	Qty
6	W	350 LPH	0.7m	8-12	PXFEAT0350	5060200443910	PXFEAT0350X	5060200447642	12
5	W	450 LPH	0.95m	8-12	PXFEAT0450	5060200443927	PXFEAT0450X	5060200447659	12
1	0W	700 LPH	1.4m	8-12	PXFEAT0750	5060200443934	PXFEAT0750X	5060200447666	12
1	4W	950 LPH	1.8m	8-12	PXFEAT1000	5060200443941	PXFEAT1000X	5060200447673	12
2	0W	1200 LPH	2.0m	12-20	PXFEAT1200	5060200443958	PXFEAT1200X	5060200447680	12
2	5W	1500 LPH	2.5m	12-20	PXFEAT1500	5060200443965	PXFEAT1500X	5060200447697	8
4	5W	2000 LPH	3.0m	12-20	PXFEAT2000	5060200443972	PXFEAT2000X	5060200447703	8
7	0W	3000 LPH	3.5m	12-25	PXFEAT3000	5060200443989	PXFEAT3000X	5060200447710	8
9	9W	4000 LPH	4.0m	12-25	PXFEAT4000	5060200443996	PXFEAT4000X	5060200447727	8



NEW



Fountasia



FeatureFlow

and a second sec

-pond (



4	
19	FeatureFlow
	Water Feature Pump
	Suitable for indoor and outdoor water features
	Person Coluits San (1ary) More Conservations 8/112 man

SpinClean

1.00

UV POND FILTERS . . . ESSENTIAL FOR CLEAR, HEALTHY WATER

Next Generation

Easy Clean Filters

Pond Filters

SpinClean Pressure Filters

Designed for pondkeepers who demand a bit more from their pond filter. SpinClean Filters utilise internal cleaning rotors which can be accessed externally meaning periodic cleaning of the filter is much easier

Easy Clean Procedure

With pump running simply turn Control Dial to 'Clean' mode. (This redirects water via waste outlet). Turning the cleaning handle agitates the internal filter foams and displaces dirt. Once waste water turns clear Control Dial is turned back to 'Pond'. Water redirects back into the pond as previously.

Features:

- Quality features
- **No drips!** Tap on waste discharge valve*
- Clear hosetail so you can see if your water is dirty*
- UVC 'working' indicator
- Waste indicator pops up on lid when filter needs cleaning

See following page (22) for further details of internal components.

Note: SpinClean and SpinClean AUTO carry the same base-spec. So conveniently they have the same matching spare parts.



Model	Pond Size Lts	UV Watts	Code	Barcode	Qty
SpinClean 4500	4500	11W	PXSC04500	5060200448618	2
SpinClean 6000	6000	13W	PXSC06000B	5060600652370	2
SpinClean 8000	8000	13W	PXSC08000	5060600652387	2
SpinClean 12000	12000	13W	PXSC12000	5060200442982	2
SpinClean 20000	20000	24W	PXSC20000	5060200443002	1
SpinClean 30000	30000	36W	PXSC30000	5060200447185	1
SpinClean 40000	40000	55W	PXSC40000	5060200447192	1





STANDARD SPINCLEAN

EASY Turn Handle to Clean

SpinClean

- Popular 'entry-level' filters
- Unique 'Easy Clean' mechanism
- Highly competitive price point
- Reliable

AUTO SPINCLEAN

Even EASIER! Simply twist control dial for motorised cleaning

SpinClean AUTO

- NEW Generation with latest technology
- Motorised cleaning process
- Same base features as standard SpinClean
- Additional 'Pro' model for koi-keepers



Pond Filters

SpinClean AUTO (motorised cleaning)

Probably the most convenient and easy way to keep a garden pond clean and healthy

Super convenient one-touch cleaning.

- One touch motorised cleaning
- Specification as 'standard' SpinClean but manual 'turning handle' replaced with automatic motor.
- Easy to understand for consumers -Models match up with existing SpinClean range - the only difference is the method of powering the cleaning function.



Model	Pond Size Lts	UV Watts	Code	Barcode	Qty
SpinClean AUTO 4500	4500	11W	PXSCA04500	5060600651762	2
SpinClean AUTO 6000	6000	13W	PXSCA06000	5060600651779	2
SpinClean AUTO 8000	8000	13W	PXSCA08000	5060600651786	2
SpinClean AUTO 1200	12000	13W	PXSCA12000	5060600651793	2
SpinClean AUTO 20000	20000	24W	PXSCA20000	5060600651809	1
SpinClean AUTO 30000	30000	36W	PXSCA30000	5060200441022	1
SpinClean AUTO 40000	40000	55W	PXSCA40000	5060200441039	1
SpinClean AUTO 50000	50000	55W	PXSCA50000	5060600652691	1
SpinClean AUTO 75000	75000	60W	PXSCA75000	5060600654602	1
X2 Biomedia 25l	For Auto (50/75000)	N/A	PXSCABIOX25	5060600652660	1



pondXpert **SpinClean AUTO Filters** First came Box Filters. Then pressure filters arrived. Soon 'easy clean' pressure filters came. **NOW** we present motorised-cleaning pressure filters! Reduced effort required during cleaning. Fingertouch operation

Procedure when it's time to clean:

1) Turn blue dial so arrow is facing waste outlet. 2) UV light turns colour red and the motor turns the cleaning paddle against the sponges.

3) After 3 minutes cleaning a beep indicates cleaning is finished.

Cleaning will typically take a minute or so (until waste water looks clear). The 3 minute warning siren is a feature to remind customer to switch off cleaning mechanism.

Note: Motors have proved highly durable but are available as a 'plug-in' spare part.

Model	UVC	Volume Litres	Dimensions LxWxH (cm)	Foam Size	Foam Yellow	Foam Blue	Outlet/Inlet	Waste Outlet mm	Max Flow	Bio balls	Waste Tap?	BioBall Qty
4500	11W	16	31 x 31 x 41	Small	2	2	20/25/32	20/25	6000	No	No	0
6000	13W	20	31 x 31 x 50	Small	2	2	20/25/32	20/25	7000	Yes	No	36
8000	13W	20	38 x 38 x 41	Medium	2	2	20/25/32/38	25/32/38	9000	No	Yes	0
12000	13W	25	38 x 38 x 52	Medium	3	2	20/25/32/38	25/32/38	10000	Yes	Yes	63
20000	24W	38	38 x 38 x 73	Medium	3	4	20/25/32/38	25/32/38	12000	Yes	Yes	63
30000	36W	50	45 x 45 x 55	Large	3	2	32/38/50	25/32/38 (60 inlet)	14000	Yes	Yes	40
40000	55W	75	45 x 45 x 72	Large	4	3	32/38/50	25/32/38 (60 inlet)	16000	Yes	Yes	80
50000	55W	170	60 x 60 x 82	Large	4	3	32/38/50	25/32/38 (60 inlet)	16000	Yes	Yes	35 (XL)
75000	60W	300	75 x 75 x 88	Large	4	3	32/38/50	25/32/38 (60 inlet)	20000	Yes	Yes	70 (XL)

Pond Filters

SpinClean AUTO Pro

AUTO Pro 75

75% higher capacity than AUTO Pro 50 (300 Ltrs). Double Floating Media (70L) and bigger UV (60W).

Extra Large Pressure Filters for larger ponds and koi ponds





and Floating Bed.

Hand crafted extra large fibreglass chamber (volume 170 & 300 litres).

Floating Bed Technology

Auto 50 ships with 35 litres of X2 biomedia included. For consumers with heavily-stocked fish ponds this media bay can be topped up to 60 litres.



biomedia design shown here not as supplied - see bottom of page.





SpinClean AUTO

New 75 size compared to 50





Cut-away image shows internal foams

Solid particles from dirty water attach to foams. Water flow then forces biomedia to tumble around the extensive outer skin area.

This tumbling action encourages healthy new bacteria to grow. UVC zaps single cell algae to combat green water.

SUPER BENEFITS

Fuss-free Plug-in and GO!

No need for rigid pipework or complicated fittings.

Maximum landscaping opportunities

Very small 'footprint' - compact design. As with all pressure filters unit can be buried/hidden lower than water outlet. Outlet water can be used to power a waterfall (max 3m).

Koi Compatible

Suitable for lightly stocked koi ponds up to 37,500 litres.

As a guide filter can handle fish managing to digest 150 to 200g of food per day.

Higher water volume capacity

Suitable for ornamental ponds up to 75,000 litres. Maximum recommended pump flow 16000LPH & 20000LPH.

Crystal Clear Water

Integrated UVC with max power of 60W prevents pond water going green.

Easy Maintenance

One-touch cleaning with motorised cleaning feature.

X2 Floating Biomedia 25L

16mm dia. x 10mm Effectively generates healthy bacteria.



Filtobox Gravity 'Box' Filters

Always popular - the traditional 'box' filter was the first filter type to sell in the UK.

Many customers still prefer this method of filtration. Filtobox has model variants to suit both small and larger ponds

- Top outlets mean filters can be buried up to 2/3 of height
- High quality construction
- Sludge drain for easy cleaning
- Easy Access to UVC.

Supplied with multi-stage inlet hosetail 25/32/38/40. Outlet pipe 50mm on 6000, 70mm on 12000



Pond Ultraviolet Clarifiers (UVCs)

UVC FROM PONDXPERT

Complete with 8.5m power cable

Offers incredible value for money. All come with

a set of hosetails to take 20/25/32/40mm hose.

Watts

4500

7500

10000

20000

10000

9000

15000

23000

40000

23000

11W

18W

36W

55W

36W

1. UV 'ON' indicator window

Greenstop

Model

Greenstop 9000

Greenstop 15000

Greenstop 23000

Greenstop 40000

Greenstop 36 Pro

Greenstop Pro

1 year guarantee



6000 - 38 x 28 x 38 cm (LWH) 12000 - 55 x 38 x 44 cm (LWH)

Model	Pond Size Lts	UV Watts	Code	Barcode	Qty
FiltoBox 6000	6000	9W	PXBF06000	5060200440827	2
FiltoBox 12000	12000	18W	PXBF14000	5060200440841	1



2. NEW Electronic Ballast



1

3. Plastic BioBall Biomedia & Foam Mechnical Filtration are packed into the chambers of both units.







PXUV09000

PXUV15000

PXUV23000

PXUV40000

PXUVPRO36

- Includes three hosetails (20/25/32/40mm)
- 53cm length

ray exposure.

PondXpert 'PondCreator' Intelligent Merchandising Solution

ALL PONDXPERT POND EQUIPMENT

has been carefully designed to complement each other.

Each product solves a pondkeeping problem and some of the items are designed to work together in the same pond (The best illustration of this is our pumps and filters).

The following four pages describe the PondXpert PondCreator Merchandising System

Designed to make pondXpert products easier to sell for the retailer and assisting the consumer with their purchasing decision.

As you will know - consumers have very different requirements. Some will want a simple replacement pump or filter - others will be looking to build a brand new pond.

With the PondCreator System the more the retail customer spends the better discount they get.

The customer walks away happy and satisfied with top value pond products. You, the retailer achieve a higher 'shopping basket spend'.

PondCreator Benefits

- No need to stock a pump, filter AND pump/filter sets. Reduce stockholding and free-up cash flow
- PondCreator provides an easy-reference guide to selling pond equipment. It is a first class training tool that helps boost confidence of sales staff when selling this technical product.
- Build an eye-catching display by taking advantage of POS opportunities
- Enjoy ready-made sale promotions proven to drive additional sales

Easy Reference Product Selector System

- 1) POS info explains what components are needed to build a particular size of pond.
- 2) Customer can quickly make the correct selections by matching up the colour coded swatch sysem printed on product boxes.
- 3) Customer guaranteed correct equipment selection.

Benefits

- 1) Allows customer to select correct equipment.
- 2) System can take sales while aquatics-trained staff are not available.
- 3) Can act as a great 'starting point' to a sales conversation. Chance to build on this information with higher featured or higher powered products.
- 4) Information takes a browsing customer from a 'cold prospect' to a 'warm prospect'.

Max Flow | Max Pond | Code Barcode

5060200441275

5060200441299

5060200441312

5060200441800

5060200445495

Qty

6

6

6

6

6

PondCreator 6000 **Pump & Filter Components**

No need to stock a pump, a filter AND pump/filter sets. Reduce stockholding and free-up cash flow.



PondCreator POS Available

No need to stock a pump, a filter AND pump/filter sets. Ask your PondXpert Sales Representative for further information.



por	ndXpert	Pon	dCreat	t or ™		this page are the with customers		Easy-Vie	w Pond	Equipme	nt Select	or Matri	x
Set Name	1000	2000	3000	4500	6000	8000	10000	12000	16000	20000	30000	40000	NOTES
Scale Drawing showing how final pond could look when built	Note:	İ	İ.		İŻ								
Note: Set name = pond volume	PondXpert Preforms ok for this size too!											0	(30cm Liner Overlap included Lenth & Width)
Pond Size	MINI	Small	Small	Medium	Medium	Medium	Large	Large	Large	XL	XXL	XXL	
L x W x D (mtrs)	1.2 x 1.2 x 0.6	2.2 x 1.2 x 0.6	2.2 x 2.2 x 0.6	3.2 x 2.2 x 0.6	3.2 x 3.2 x 0.6	4.2 x 3.2 x 0.6	4.1 x 4.1 x 0.6	5.0 x4.0 x 0.6	5.2 x 3.2 x 1.0	4.5 x 4.5 x 1.0	6.3 x 4.4 x 1.0	7.2 x 5.4 x 1.0	} Recommended } Pond Dimensions
Max Volume	864 litres	1584 litres	2904 litres	4224 litres	6144 litres	8064 litres	10086 litres	12000 litres	16640 litres	20250 litres	27720 litres	38880 litres	<pre>} Customer can dig to } different depths but</pre>
Feet & Inches	4' x 4' x 2'	4' x 7'2" x 2	7'2"x7'2"x2	10'6"x7'2"x2'	10'6"x10'6"x2'	13′9″x10′6″x2′	13'6"x13'6"x2'	16′5″x13′1″x2′	17'x10'6"x3'3"	14′9″x14′9″x3′3″	20'8"x14'5"x3'3"	23'7"x17'9"x3'3"	<pre>} this will impact size of } surface area</pre>
Gallons	190	350	640	930	1350	1775	2220	2650	3665	4460	6100	8560	j surface area
Type of pond that can be created with these dimensions.	Solar Option, Ornamental, Wildlife or Very Low Stock Goldfish	Ornamental, Wildlife or Low Goldfish Stock	Ornamental, Wildlife or Low Goldfish Stock	Ornamental, Wildlife or Low Goldfish Stock	Ornamental, Wildlife, Goldfish or Low Koi	Ornamental, Wildlife, Goldfish or Low Koi	Ornamental, Wildlife, Goldfish or Koi	Ornamental, Wildlife, Goldfish or Koi	Ornamental, Wildlife, Goldfish or Koi	Ornamental, Wildlife, Goldfish or Koi	Ornamental, Wildlife, Goldfish or Koi	Ornamental, Wildlife, Goldfish or Koi	The 'kind' of pond that is recommended with these dimensions
Liner Size	3 x 3m	4 x 3m	4 x 4m	5 x 4m	5 x 5m	6 x 5m	6 x 6m	7 x 6m	8 x 6m	75x75m	9 x 7m	10 x 8m	lf customer keeping koi fish then SpinClean Auto 50 Filter & UltraFlow 16000 Pump
Liner Price	£	£	£	£	£	£	£	£	£	£	£	£	can be recommended Koi Ponds up to
Underlay Size Pick Qty	9sqm 2x5m x 2	12sqm 2x5m x 2	16sqm 2x5m x 2	20sqm 2x5m x 2	25sqm 2x5m x 3	<u>30sqm</u> 2x5m x 3	36sqm 2x5m x 4	42sqm 2x5m x 5	48sqm 2x5m x 5	56sqm 2x5m x 6	63sqm 2x5m x 7	80sqm 2x5m x 8	25,000 Litres Ornamental Ponds up
Underlay Price		£	£	£	£	£	£	£	£	£	£	£	to 50,000 Litres
Underlay Upsell	£	£	£	£	£	£	£	£	£	£	£	£	Half Price Underlay with Liner DEAL?
Opportunity Pond Pump	MightyMite 1500	 MightyMite 2000	MightyMite 2500	MightyMite 3000	UltraFlow 3600	UltraFlow 5300	UltraFlow 6000	UltraFlow 8000	UltraFlow 10000	UltraFlow 12000	UltraFlow 14000	UltraFlow 16000	Big demand for pump &
Pond Filter	SpinClean 4500	SpinClean 4500	SpinClean 4500	SpinClean 4500	SpinClean 6000	SpinClean 8000	SpinClean 12000	SpinClean 12000	SpinClean 20000	SpinClean 20000	SpinClean 30000	SpinClean 40000	filter sets. No need to 'double stock' Separate
Pond Hose	25mm x 5m	25mm x 5m	25mm x 5m	25mm x 5m	25mm x 5m	25mm x 5m	25mm x 5m	25mm x 5m	32mm x 5m	32mm x 5m	32mm x 5m	32mm x 5m	and Sets with our selling model
Clips	25mm x 4	25mm x 4	25mm x 4	25mm x 4	25mm x 4	25mm x 4	25mm x 4	25mm x 4	32mm x 4	32mm x 4	32mm x 4	32mm x 4	sening moder
Pump & Filter Set Upsell Opportunity	£	£	£	£	£	£	£	£	£	£	£	£	FREE Hose & Clips with pump/filter set?
Upsell Opportunity Complete Pond Kit	£	£	£	£	£	£	£	£	£	£	£	£	Save 10% Off Sale Total?
Waterfall Width	8 cm (3")	11 cm (4")	17 cm (7")	21 cm (8")	24 cm (9")	39 cm (15")	47 cm (19")	69 cm (27")	86 cm (34")	114 cm (45")	125 cm (49")	148 cm (58")	Based on max flow@1m
	A	lternative Pond	Xpert Solutions f	or size of pond sp	pecified				Alternative Pond	Xpert Solutions f	or size of pond s	pecified	
All-in-One Pump Underwater Solution	TripleAction 2000	TripleAction 2000	TripleAction 3000	TripleAction 6000	TripleAction 6000	TripleAction 9000	TripleAction 15000	TripleAction 15000					Super easy pump/filter/UVC in one submersible unit
Solar Pump Underwater Solution	EcoFilter 2000 SolarShower 300	EcoFilter 2000 SolarShower 300	EcoFilter 4000 SolarShower 800										Most environmentally friendly solution - mains electric free!
Traditional 'Box' Filter Sets	FiltoBox 3000 MightyMite 1500	FiltoBox 3000 MightyMite 1500	FiltoBox 3000 MightyMite 2000	FiltoBox 4500 MightyMite 2500	FiltoBox 6000 MightyMite 3000		FiltoBox 12000 UltraFlow5300	FiltoBox 12000 UltraFlow 6000					'Tried and Tested' flow- through filtration Slightly less pump power required as less friction

PondXpert 'PondCreator' Intelligent Merchandising Solution

pondXpert

We can provide

a fully merchandised POS to match any retail requirements.

Solutions from 1-4m Length are available.

Talk to your Rep. who will help quide you.

1m Metal Stands displaying items aimed at specific market segments



Water Features







pondXpert

to Your Ga

Pond Maintenance

Wildlife Pond

1m Cardboard Shelving Units

NEW



Two Metre Wide including PondCreator



pondXpert

AN ANDIANA

Three Metre Wide including PondCreator



Pond Ultraviolet Clarifiers (UVCs)

and a for a set UNC Bully at a shead. Mat had bully fo

NEW

ity in 60 second

Bulb Wa	tts Bulb Type	PondXpert Product taking Bulb	Code	Barcode	Qty
4W	Double ended - single tube		UVCBL004D	5060200444993	6
5W	Single ended (Pls type)	FiltoBox 3000, TripleAction 2000	UVCBL005S	5060200445006	6
6W	Double ended - single tube		UVCBL006D	5060200445013	6
7W	Single ended (Pls type)	FiltoBox 4500	UVCBL007S	5060200445020	6
8W	Double ended - single tube		UVCBL008D	5060200445037	6
9W	Single ended (Pls type)	Filtobox 6000 / TripleAction 3000	UVCBL009S	5060200445044	6
11W	Single ended (Pls type)	SpinClean 4500 / TripleAction 6000 / GreenStop 9000	UVCBL011S	5060200445068	6
13W	Single ended (Pls type)	SpinClean 6000/8000/12000 / TripleAction 9000	UVCBL013H	5060200445075	6
13W	Single ended (Pls type)		UVCBL013S	5060200445082	6
15W	Single ended (Pls type)		UVCBL015D	5060200445099	6
16W	Double ended - single tube		UVCBL016D	5060200445105	6
18W	Double ended - single tube		UVCBL018D	5060200445525	6
18W	Single ended (Pls type) 4 pin	FiltoBox 12000 / GreenStop 15000	UVCBL018S	5060200445112	6
24W	Single ended (Pls type) 4 pin	SpinClean 20000	UVCBL024S	5060200445136	6
25W	Double ended - single tube		UVCBL025D	5060200445150	6
30W	Double ended - single tube		UVCBL030D	5060200445167	6
36W	Single ended (Pls type) 4 pin	SpinClean 30000, GreenStop 23000, GreenStop Pro 36/72	UVCBL036S	5060200445174	6
40W	Double ended - single tube		UVCBL040D	5060200445532	6
55W	Double ended - single tube		UVCBL055D	5060200445181	6
55W	Single ended (Pls type)	SpinClean 40000 / Pro 50, GreenStop 40000, GreenStop 55 Pro	UVCBL055S	5060200445198	6
60W	Single ended (Pls type)	SpinClean AUTO Pro 75	UVCBL0560	5060600655630	1

Water Health

Test Strips Grab Pack

Pack of six dip tests. Provides a reliable check on 6 key parameters:

- Chlorine
- pH
- Carbonate
- Hardness
- Nitrite
- Nitrate

De-Chlorinater 10"

In-line dechlorinator removes harmful chemicals from tap water Supplied with standard tap connector fittings. Packed with premium filtration materials including High Grade Carbon & Ceramet active ceramics.

PXDE PXTS PXLIQ PXLIQ PXTS

Cartridge life is approximately 150,000 litres and will last the typical pondkeeper two years of use. Max recommended flow rate 9 litres per minute.

C € 器





GreenStop

Liquid Test Set





Makes tap water safe for fish by neutralising chlorine, chloramine and other elements.

250ml treats 5680 Ltrs (1250 gallons).

1000ml treats 22750 Ltrs (5000 gallons).

Liquid Treatments Full Range - See Page 48



DC10

Code	Barcode	Product Description	Qty
PXDECHLOR010	5060600652868	DC10 - Dechlorinator 10"	1
PXTST6I1	5060600655333	Test Strips pack of 6 Dips	1
PXLIQAC0250	5060200449301	PondXpert Anti-Chlorine 250ml	6
PXLIQAC1000	5060200449387	PondXpert Anti-Chlorine 1000ml	6
PXTSTKT100	5060600655647	Liquid Pond WaterTest Set	6

pondXpert

Pond Filler Healthier Wate

PondMaster

- Powerful 1400w motor, allowing 2.0m suction depth
- Large 30 Litre water chamber
- Automatic emptying. Chamber fills with dirty water then automatically switches off and empties - once empty it auto restarts and vacumming continues
- 4m suction hose
- 2m Discharge hose
- Can be used indoors as a wet/dry vacuum
- Fine mesh discharge bag can be placed over discharge outlet meaning filtered water can be returned to pond. Often water will be very dirty and can simply be discharged to flower beds (great fertiliser!)
- Comprehensive accessories including 3 heads, dustbag for indoor use, discharge bag and wheels for manoverability.

Comprehensive Accessories Included



Universal Vacuum Dirt Basket

After effectively sucking up unwanted dirt and debris from the pond the last thing a customer wants is to see it re-enter the pond!

The new collapsible dirt collector collects all the solids and allows clean water to return to the pond. Handy extension tube allows unit to be positioned up to 1m from the pond edge.

Code	Barcode	Product Description	Qty
PXVACMASTER	5060200440834	PondMaster Pond Vacuum	1
PXVACPIPE	5060200447208	Discharge Basket 1m Outlet	1

AquaVac

A simple, easy to use hand operated pump device for removing silt from the bottom of the pond. Every pond accumulates a layer of silt and debris in the bottom of their pond no matter how hard you try to keep it clear.

This can lead to problems with water clarity, pollution of the water etc and therefore should be removed frequently. This silt vac is the ideal solution - lightweight and not powered by electricity, it can be taken to the pond, used to hand pump out the silt and stored ready for next use.

Features:

- Easy to use
- Telescopic extends to 2 metres (6' 7")
- Also removes floating debris
- Complete with strainer bag
- Simple 'bicycle pump' action

Code Barcode Product Description 🏼 🖉 PXVACAQ01 5060600652516 AquaVac manual Pond Vac

Qty

1





Note: PondMaster Vac empties via force of gravity. **Discharge Basket** must be positioned lower than outlet of PondMaster Vac

Qty

1

Code Barcode Product Description PXVACBAG 5060200447086 Pond Vac Discharge Basket



Pond Maintenance - Pond Vacuum

Non-Stop Pond Vac

CONTINUOUS SUCTION VACUUM WITH **SLUDGE PUMP**

Professional-quality vacuum that offers a step change in features over existing pond vacs on the market. This heavy duty vacuum has a built-in sludge pump that automatically ejects filtered water while dirty water is being sucked in to the unit.

Consumer can clean the pond 'non-stop' without having to wait for the chamber to empty.

How it works



As dirty water enters the unit large debris (eg, leaves) are trapped inside the internal strainer bag. Remaining dirty water containing micro-solids flows to the bottom of the unit where they are ejected by the integrated solids-handling pump.

Dirty water should be directed towards waste/flowerbeds. For those users wanting to recycle the water an ultra-fine dicharge bag is supplied. This Outlet Bag clamps onto the outlet hose at point of exit.



Internal Pump

Solids-handling Discharge Pump located in the base of the vacuum chamber.



Hose Extension 5m

5 metre Extension Hose lengths can be added to existing hose to make total discharge hose length as long as necessary.





Key Benefits

- Quicker & easier cleaning
- Continuous use
- Pump out dirty water uphill
- Two year guarantee
- Max. operating depth 2m

Features

- **35 Litre Chamber**
- 1200W suction motor
- 600W discharge pump
- Pump output 11,500lph
- Suction hose length 4m
- Four wheels for easy manoeuvrability
- **Discharge hose length 2m** (unlimited length achievable via extensions available separately)

Code	Barcode	Product Description	Qty
PXVACMASTER-NS	5060600653803	Non-Stop Pond Vacuum	1
PXNSEXTHSE5M	5060600653940	Non-Stop Vac 5m Outlet Hose	1

Box Contents

A choice of three Head Nozzles are included in the scope of delivery.





VariNet HD

Catch Net

Sludge Net

HD Skimmer Head

PondXpert Pond Nets - Heavy Duty - Interchangeable Heads

Super strong pond net with hyper-extension telescopic pole. This professional net sytem has a choice of heads. Max reach 3m (10') Rubberised finish and scrape bar protection on netting for long life Pole is lightweight (yet incredibly strong) - so more comfortable in use.



HD Poles

Existing 3m pole joined by new fixed length 0.4m and 1.0m. Shorter poles ideal for new Koi Socks and for instore maintenance.



Code	Barcode	Product Description	Qty
PXHDNETHEADCT	5060200447449	Catching Net 41cm x 46cm x 30cm LWD Large mesh	1
PXHDNETHEADSL	5060200447505	Sludge Net 41cm x 46cm x 20cm LWD. Medium mesh	1
PXNETHEADSKM	5060600652592	Skimmer Net	1
PXHDNETHEADK1	5060600652608	Koi Sock	1
PXHDNETHEADK2	5060600652615	Koi Sock Waterproof	1
PXHDNETPOLE30	5060200447482	HD Telescopic Pole 3m (10')	1
PXHDNETPOLE04	5060600652578	HD Fixed Length Pole 40cm	1
PXHDNETPOLE10	5060600652585	HD Fixed Length Pole 100cm	1
PXHDNETHEADK60	5060600653186	HD Koi Pan Head 60cm (24 inch)	1
PXHDNETHEADK80	5060600653186	HD Koi Pan Head 80cm (30 inch)	1

Koi Sock Net Heads

90cm long waterproof material plus 29cm long mesh part at the end. Flexible end part means it can be twisted round the wrist to cut off water flow when pinched.



Koi Pan Net Heads

Japanese style pan net heads provide a wide shallow surface - nice and safe when netting your fish. Two sizes.

HD Skimmer Head

in tip-top condition.

Skimmer head is now available

for attachment to this stronger net

system - ideal for keeping big ponds



Pond Maintenance	- Pond Nets	I) Basic Skimmer Head
PondXpert Pond Ne	ets - Interchangeable	Head System
THE RIGHT NET	FOR EVERY JOB	
	oice of 3 different length po net-head and pole combinat ads as they need them.	
	A) Pentagon 30cm	Choice of three handle/pole lengths C) Algae Net
	B) Pentagon 40cm	D) Sludge Net E) Blanket Weed Brush (Head only)
Code	Barcode	Product Description
PXNETHEADTP30	5060200447338	A) Pentagon Fish Net Head 30cm (30cm deep) Large mesh
PXNETHEADTP30	5060200447345	B) Pentagon Fish Net Head 40cm (30cm deep) Large mesh
PXNETHEADALG	5060200447369	C) Algae Net Head 40cm (5cm deep) Very fine mesh
PXNETHEADSLU	5060200447352	D) Sludge Net Head 40cm (18cm deep) Medium mesh
PXNETHEADSLO	5060200447406	E) Blanket Weed Brush Net Head Tough brush
PXNETBWSET	5060200447413	F) Blanketweed Brush Set (1.8m Pole + Brush Head)
PXNETHEADSKM	5060200447413	G) Light n' Easy Skimmer Head
PXNETBWBRUSH	5060600655333	H) Blanketweed Brush Retail Pack
PXNETHEADSKIMB	5060600653353	I) Basic Skimmer Head
PXNETPOLE12	5060200447383	Fixed Handle 1.2m (4')
PXNETPOLE12 PXNETPOLE15		Telescopic pole 1.5m (5')
FANEIFULEIJ	5060200447390	iciescohic hole i 'sili (s)
PXNETPOLE18	5060200447376	Telescopic pole 1.8m (6')

Light n' Easy Skimmer Head

Clever design makes it so easy to sweep debris off the pond surface. The head affixes at a 45 degree angle meaning it can scoop debris with a 'golf club' type approach. Shape to glide through water easier less material on water surface.

G) Light n' Easy **Skimmer Head**



H) Blanketweed Brush **Retail Pack**

Includes super-compact 1.8m pole and brush head.







VariNet

PondXpert Pond Net Merchandiser

'NET A GREAT DEAL WITH **PONDXPERT'**

Metal POS stand with space to display Interchangeable head System Nets and Heavy Duty Nets.

Ask your Sales Representative for further details.



Pond Maintenance - Pond Nets

Pond Cover Net

Hard-wearing nets designed to cover the pond surface and protect from fallen leaves and other debris. also protects fish from predators. Packs include pegs for secure installation.



Pond Maintenance Kit

Kit includes a sturdy telescopic aluminium pole and three interchangeable heads. The pole extends up to 1.8m (6') yet the whole kit fits into a small box for easy storage/transportation.

TOOLS SCREW ONTO THE END OF THE POLE & INCLUDE:

- 40cm/ 16" catching net
- 35cm/ 14" round skimming net
- Sturdy pond brush to keep waterfalls and pond edge clean

Code Barcode Product Description **PXNETBOX** 5060200444986 Triple Function Pond Net - 3 In 1 Pond Maintenance Kit



Pond Gloves

Hard-wearing PVC with extended arm guard and elasticated sleeve to protect clothes. Universal fit.



Pond Shelter

Net prevents leaves, debris and predators entering the pond.



- Great for ponds up to 3.5m x 6m
- Protects without disturbing plants

Code	Barcode	Product Description	Qty
PXSHELTER01	5060200447215	Pop-Up Pond Shelter	1
PXGL01	5060600651007	PondXpert Pond Gloves (pair)	1
PXCNET03X2	5060600650956	PondXpert Cover Net 3 x 2m	1
PXCNET04X3	5060600650963	PondXpert Cover Net 4 x 3m	1
PXCNET06X4	5060600650970	PondXpert Cover Net 6 x 4m	1
PXCNET10X6	5060600650987	PondXpert Cover Net 10 x 6m	1
PXNETSWAP01	5060600653308	SwapNet Pond Net Set	1
PXSKIMFL2500	5060200440780	Skimmster Pond Skimmer	4







Qty

5

Bargain skimmer ideal for small ponds up to 25 square metres (16x16ft) surface area.

- 45 watts
- 10m power cable
- 2500lph intergrated pump





CONTROL YOUR EQUIPMENT PONDSIDE

Any lengths of exposed outdoor cable should be housed in a metal sheath to prevent accidental breakage.

Outdoor Switchboxes

Outdoor switchboxes are essential pondkeeping kit. These sturdy switchboxes offer a number of outlet options and are easy to wire up. Inlet accepts standard outdoor cable.

Electrical **Cable Connector**

Joins electrical cable with a watertight seal but has the benefit of being able to 'snap off' the connection. This means that outdoor items such as pond pumps can be easily disconnected and removed when necessary (eg, winter).

Electrical **Cable Joiner**

Waterproof connector - perfect for extending power cable length.



Code	Barcode	Produ
PX3WAY	5060600653100	EasyS
PX4WAY	5060600653117	EasyS
PX6WAY	5060600653124	EasyS
PXJOIN	5060200443774	Electr
PXJOINB	5060200449813	Electr
PXCONN	5060200443781	Weath
PXCABLE10	5060200440674	Stand
PXCABLEHD50	5060200440681	Premi
PXCABLE50	5060600653643	Stand

EasySwitch





New improved EasySwitch boxes

- Outlets individually fused
- Enlarged connectors for easy wiring
- Wall fixing bracket & spare fuse included
- Max load per outlet 400W
- Max load per box 1200W/1600W/2400W
- 3 Year Guarantee

Outdoor Cable



ElectroAir Air Pump Accessories

All ElectroAir pumps come complete with 4mm outlets. We now stock a full range of accessories based on this 4mm fitting (This is the most popular size and these products will fit any other brands using the size of outlet).

Code	Barcode	Model	Qty
PXAIRST015	5060200447239	ElectroAir 15cm Plate Air Stone	12
PXAIRST013	5060200447246	ElectroAir 13cm Heavy Air Stone	12
PXAIRCM06	5060200447253	ElectroAir Chrome Manifold 6 way	12
PXAIRL0100	5060200447260	ElectroAir Airline 4mm x 100m Clear	12
PXAIRST50B	5060200447277	ElectroAir 2"/50mm Air Stone Blue	24
PXAIRST50G	5060200447284	ElectroAir 2"/50mm Air Stone Sintered Grey	24
PXAIRCHK04	5060200447291	ElectroAir 4mm Check Valve	100
PXAIR4MMX25	5060200447475	ElectroAir Clear 4mm Airline x 25m	1
PXAIRST50L	5060600652097	Airstone 50mm Cylinder Blister Pk	1
PXAIR4MMX25BS	5060600652684	Black Sinking hose 25m	1



Black Sinking Airline 25m

Black weighted airline looks almost invisible in use helping ponds to look their best. This 4mm (internal diameter) airline fits all PondXpert air pumps.

Fits 95% of all pond air pumps - including solar! Easiest & cheapest way to make any pond look better!







Pond Air Pumps - Electric

PondXpert ElectroAir Compact

Weatherproof outdoor air pump sets. Packs include everything the consumer needs to 'plug in and go'. Set includes airline, airstones, chrome manifest and fittings.

IPX4 rated weatherproof.



						A	ccessories in B	DX
Model	Code	Barcode	Max Flow	Watts	Qty	Airline	Airstones	Manifold
ElectroAir Compact 210	PXAIRC0210	5060600651670	210 lph	3.3W	1	2 x 5m	2 x 30mm	n/a
ElectroAir Compact 450	PXAIRC0450	5060600651687	450 lph	6W	1	2 x 5m	2 x 40mm	n/a
ElectroAir Compact 600	PXAIRC0600	5060200447093	600 lph	10W	4	2 x 5m	2 x 46mm	2 way
ElectroAir Compact 1200	PXAIRC1200	5060200447109	1200 lph	15W	4	2 x 5m	2 x 46mm	2 way
ElectroAir Compact 1800	PXAIRC1800	5060200447116	1800 lph	25W	4	4 x 5m	4 x 46mm	4 way
ElectroAir Compact 2400	PXAIRC2400	5060200447123	2400 lph	30W	4	4 x 5m	4 x 46mm	4 way
ElectroAir Compact 3600	PXAIRC3600	5060200447130	3600lph	35W	2	8 x 5m	8 x 46mm	8 way



PondXpert ElectroAir Pond Air Pumps

Powerful weatherproof pond air pumps with max output 6000lph. Supplied in durable metal casing. 2m power cable. Supplied without fittings (ElectroAir Accessories Kit Recommended)

Model	Code	Barcode	Max Air Output	Qty
2100	PXAIR2100	5060200444818	2100 lph	4
2700	PXAIR2700	5060200444825	2700 lph	4
3600	PXAIR3600	5060200444832	3600 lph	4
4800	PXAIR4800	5060200444849	4800 lph	4
6000	PXAIR6000	5060200444856	6000 lph	4

ElectroAir Air Pump Accessories Kit

Handy kit containing: 1) Six tap chrome manifold. 2) 50mm Airstones x 4 3) 4mm Clear Airline x 25 metres



ElectroAir Compact 210 and 450

Weatherproof outdoor air pump sets designed for smaller ponds. Box includes airline, airstones and spare replacement diaphragms. (210 For ponds up to 1500 litres. 450 For ponds up to 3000 litres.)

- Sleek design and quiet operation
- 3m (10') cable length
- Max Depth 1.5m
- 2 Year Guarantee





Herons should be dettered as they eat pond fish



Traditional Cover Nets can look ugly

FLOATING FISH PROTECTION SYSTEM



Interlocking Floating

Pond Protector Discs protect pond but are virtually invisible

Pond Protectors

One pack protects a pond perimeter of 5.8m (19 feet). Each pack contains 30 rings and 60 joining clips.

each other.

thing.

Dimensions:





Code	Barcode	Product Description	Qty
PXPPROT	5060200443668	PondXpert Pond Protectors - 30 Ring Set	12
OAHERON1	5060200445556	PondXpert Decoy Heron	6







Code	Barcode	Product Description	Qty
PXSWANSM	5060200447307	Ornamental Floating Swan Small	1
PXSWANLG	5060200447314	Ornamental Floating Swan Large	1
PXDUCKM	5060600651564	Ornamental Floating Duck Male	1
PXDUCKF	5060600651557	Ornamental Floating Duck Female	1
PXDUCKLIN	5060600651540	Ornamental Floating Ducklings (Triple)	1
PXCROCK01	5060600652875	Ornamental Floating Crocodile Head	1



Large Swan Dimensions: 81 x 33 x 41 cm LWH Small Swan Dimensions: 33 x 18 x 24 cm LWH Tie eye to secure line to.

Duck Dimensions: 36 x 12 x 13 cm LWH Duckling Dimensions: 11 x 6 x 6 cm LWH Crocodile Dimensions: 20 x 15 x 15 cm LWH

Pond Construction

Modular Waterfall Cascade System

Designed to be used individually or inerlocked together. Manufactured out of durable but lightweight polyresin. Optional integrated solar lighting. Hidden water inlet with hosetail (25-32mm). Hidden Inlet only on Header Fall.

A) Header Fall

B) Stream Fall & Middle



A) 63 x 61 x 15cm (LWH)

B) 95 x 47 x 14cm (LWH)

C) 61 x 41 x13cm (LWH)

Red dots on images indicate

punch-holes for solar bulbs.



Code Barcode Product Description PXCASHEAD 5060600655340 A) Header Fall PXCASDOUB 5060600655357 B) Stream Fall PXCASSING 5060600655364 C) Base Fall PXCASSOL 5060600655388 Solar Light Set - White 5060600655395 PXCASSOL-C Solar Light Set - Colour FoamFixer Waterfall Foam PXFOAMFIXER 5060600654183 PXWFCLEAN 5060600654619 FoamFixer Cleaning Agent

FoamFixer 500ml Waterfall Foam (Black)

Provides a profesional finish to stone waterfall constructions. Fills gaps and has strong adhesive qualities. Black colour blends seamlessly into the landscape. Works straight from can. NEW



Replacement Filter Foams

These foams can be used as replacement filtration media in most filters. They can be cust down to size if required. The Triple Packs contain three graded sheets - the fine sheets are singles

sileets are siligies.			
Code	Barcode	Product Description	Qty
FOAMS17X11	5060200447741	Triple Layer Foams 17 x 11" (43 x 28 cm)	1
FOAMS25X18	5060200447758	Triple Layer Foams 25 x 18" (64 x 46 cm)	1
FOAMS43X21	5060200447765	Triple Layer Foams 43x 21" (110 x 53 cm)	1
FOAMS17X11F	5060200447772	White Fine Foam 17 x 11" (43 x 28 cm)	1
FOAMS25X18F	5060200447758	White Fine Foam 25 x 18" (64 x 46 cm)	1
FOAMS43X21F	5060200447765	White Fine Foam 43x 21" (110 x 53 cm)	1



Solar spotlights In position

C) Stream Fall & Base

NEW



Waterfall Solar Spotlight Set (optional)

White or colour LED lights with 3m cable. Solar power 9V-2.5W with lithium battery. Max operating time 16 hours.





FoamFixer Cleaner 500ml Waterfall **Foam Cleaner**

Special solvent designed to clean up hands and stains while using Black Waterfall Foam





NEW











Pond Construction

Waterproof sheeting to line ponds. We are a pond liner specialist and have sold over 100,000 liners to date. Sell pondXpert liners with confidence.

Flexiliner is our bestselling pond liner. Manufactured out of LDPE sandwiched between two coatings of UV resistant laminate. Fully guaranteed watertight for 30 years. The unique selling point of this item is that it is tearproof - if the liner gets punctured the hole will not 'run' as can occur with all other types of pond liner.

- Over 30 pre-cut sizes available.
- 30 years guarantee
- Thickness 0.3mm
- Tearproof
- Black colour



FlexiLiner

Code	Barcode	Product Description	Qty
Code FL-020-020	5060200445662	2x2m Flexiliner Pond Liner	20
FL-025-025	5060200445754	2.5 x 2.5m Flexiliner Pond Liner	20
FL-030-020	5060200445747	3x2m Flexiliner Pond Liner	20
FL-030-025	5060200445761	3x2.5m Flexiliner Pond Liner	15
FL-030-025	5060200441688	3x3m Flexiliner Pond Liner	15
FL-040-030	5060200440575	4x3m Flexiliner Pond Liner	10
FL-040-040	5060200440001	4x4m Flexiliner Pond Liner	7
FL-050-040	5060200440018	5x4m Flexiliner Pond Liner	6
FL-050-040	5060200440025	5x5m Flexiliner Pond Liner	5
FL-060-040	5060200441725	6x4m Flexiliner Pond Liner	4
FL-060-040	5060200440032	6x5m Flexiliner Pond Liner	4
FL-060-050	5060200440049	6x6m Flexiliner Pond Liner	3
FL-070-050	5060200442685	7x5m Flexiliner Pond Liner	3
FL-070-050	50602004420056	7x6m Flexiliner Pond Liner	3
FL-075-075	5060200440063	7.5x7.5m Flexiliner Pond Liner	2
FL-080-030	5060200440247	8x3m Flexiliner Pond Liner	5
FL-080-050	5060200440247	8x6m Flexiliner Pond Liner	2
FL-080-080	5060200440087	8x8m Flexiliner Pond Liner	1
FL-090-070	5060200440094	9x7m Flexiliner Pond Liner	1
FL-090-090	5060200440100	9x9m Flexiliner Pond Liner	1
FL-100-060	5060200442708	10x6m Flexiliner Pond Liner	1
FL-100-000	5060200440117	10x8m Flexiliner Pond Liner	1
FL-100-100	5060200440124	10x10m Flexiliner Pond Liner	1
FL-110-080	5060200440124	11x8m Flexiliner Pond Liner	1
FL-120-090	5060200440148	12x9m Flexiliner Pond Liner	. 1
FL-130-100	5060200440155	13x10m Flexiliner Pond Liner	1
FL-150-100	5060200440162	15x10m Flexiliner Pond Liner	1
FL-150-150	5060200440179	15x15m Flexiliner Pond Liner	1
FL-160-120	5060200440186	16x12m Flexiliner Pond Liner	1
FL-180-120	5060200440193	18x12m Flexiliner Pond Liner	1
FL-200-150	5060200440209	20x15m Flexiliner Pond Liner	1
FL-240-180	5060200440216	24x18m Flexiliner Pond Liner	1
FL-300-200	5060200440223	30x20m Flexiliner Pond Liner	1
FL-340-220	5060200440230	34x22m Flexiliner Pond Liner	1
FL-400-300	5060200442722	40x30m Flexiliner Pond Liner	1
FL-400-400	5060600655487	40x40m Flexiliner Pond Liner	1
FL-500-400	5060600655494	50x40m Flexiliner Pond Liner	1

Pond Construction

Rubber Liner

High specification durable rubber liner with lifetime guarantee (when used with suitable aquatic underlay)

Premium Quality 0.8mm thickness.

Handy pre-cut rolls save cutting down rolls (saves on roll-end wastage and miscuts).

All sizes available in both Butyl and EPDM Rubber to satisfy consumer or installer requirements*

All rubber liners are available to buy in single quantities.

Butyl Pond Li	ner 0.8mm	Imperial Dimension				
Code	Barcode	Product Description	Length	Width		
BYPL-020-020	5060600654213	Butyl 0.8mm 2x2m	6' 7"	6' 7"		
BYPL-025-020	5060600654695	Butyl 0.8mm 2.5x2m	8' 2"	6' 7"		
BYPL-025-025	5060600654220	Butyl 0.8mm 2.5x2.5m	8' 2"	8' 2"		
BYPL-030-020	5060600654237	Butyl 0.8mm 3x2m	9' 10"	6' 7"		
BYPL-030-025	5060600654244	Butyl 0.8mm 3x2.5m	9' 10"	8' 2"		
BYPL-030-030	5060600654251	Butyl 0.8mm 3x3m	9' 10"	9' 10"		
BYPL-035-030	5060600654701	Butyl 0.8mm 3.5x3m	11' 6"	9' 10"		
BYPL-040-030	5060600654268	Butyl 0.8mm 4x3m	13' 1"	9' 10"		
BYPL-040-035	5060600654718	Butyl 0.8mm 4x3.5m	13' 1"	11' 6"		
BYPL-045-030	5060600654725	Butyl 0.8mm 4.5x3m	14' 9"	9' 10"		
BYPL-040-040	5060600654275	Butyl 0.8mm 4x4m	13' 1"	13' 1"		
BYPL-050-030	5060600654282	Butyl 0.8mm 5x3m	16' 5"	9' 10"		
BYPL-050-040	5060600654299	Butyl 0.8mm 5x4m	16' 5"	13' 1"		
BYPL-050-045	5060600654305	Butyl 0.8mm 5x4.5m	16' 5"	14' 9"		
BYPL-050-050	5060600654312	Butyl 0.8mm 5x5m	16' 5"	16' 5"		
BYPL-060-030	5060600654329	Butyl 0.8mm 6x3m	19' 8"	9' 10"		
BYPL-060-040	5060600654336	Butyl 0.8mm 6x4m	19' 8"	13' 1"		
BYPL-060-050	5060600654343	Butyl 0.8mm 6x5m	19' 8"	16' 5"		
BYPL-060-060	5060600654350	Butyl 0.8mm 6x6m	19' 8"	19' 8"		
BYPL-070-040	5060600655418	Butyl 0.8mm 7x4m	19' 8"	19' 8"		
BYPL-070-050	5060600654367	Butyl 0.8mm 7x5m	23' 0"	16' 5"		
BYPL-070-060	5060600654374	Butyl 0.8mm 7x6m	23' 0"	19' 8"		
BYPL-070-070	5060600654381	Butyl 0.8mm 7x7m	23' 0"	23'		
BYPL-080-040	5060600654398	Butyl 0.8mm 8x4m	26' 3"	13' 1"		
BYPL-080-050	5060600654404	Butyl 0.8mm 8x5m	26' 3"	16' 5"		
BYPL-080-060	5060600654411	Butyl 0.8mm 8x6m	26' 3"	19' 8"		
BYPL-080-070	5060600654428	Butyl 0.8mm 8x7m	26' 3"	23'		
BYPL-080-080	5060600654435	Butyl 0.8mm 8x8m	26' 3"	26' 3"		
BYPL-090-060	5060600654442	Butyl 0.8mm 9x6m	29' 6"	19' 8"		
BYPL-090-070	5060600654459	Butyl 0.8mm 9x7m	29' 6"	23' 0"		
BYPL-100-060	5060600654466	Butyl 0.8mm 10x6m	32' 10"	19' 8"		
BYPL-100-070	5060600654473	Butyl 0.8mm 10x7m	32' 10"	23'		
BYPL-100-080	5060600654480	Butyl 0.8mm 10x8m	32' 10"	26' 3"		
BYPL-100-100	5060600654497	Butyl 0.8mm 10x10m	32' 10"	32' 10"		
BYPL-110-080	5060600654503	Butyl 0.8mm 11x8m	36' 1"	26' 3"		
BYPL-110-100	5060600655432	Butyl 0.8mm 11x10m	19' 8"	19' 8"		
BYPL-130-100	5060600654510	Butyl 0.8mm 13x10m	42' 8"	32' 10"		
BYPL-150-100	5060600654527	Butyl 0.8mm 15x10m	49' 3"	32' 10"		

Rubber Liner





75 Pre-Pack Sizes Ready to Go! *2.1 x 1.7m EPDM only

		,		
EPDM Pond L	iner 0.8mm	Impe	rial Dim	ensions
Code	Barcode	Product Description	Length	Width
EPPL-021-017	5060600654688	EPDM 0.8mm 2.1x1.7m	6' 11"	5' 7"
EPPL-020-020	5060600654046	EPDM 0.8mm 2x2m	6' 7"	6' 7"
EPPL-025-020	5060600654671	EPDM 0.8mm 2.5x2m	8' 2"	6' 7"
EPPL-025-025	5060600654053	EPDM 0.8mm 2.5x2.5m	8' 2"	8' 2"
EPPL-030-020	5060600654060	EPDM 0.8mm 3x2m	9' 10"	6' 7"
EPPL-030-025	5060600654077	EPDM 0.8mm 3x2.5m	9' 10"	8' 2"
EPPL-030-030	5060200442180	EPDM 0.8mm 3x3m	9' 10"	9' 10"
EPPL-035-030	5060600654657	EPDM 0.8mm 3.5x3m	11' 6"	9' 10"
EPPL-040-030	5060200442197	EPDM 0.8mm 4x3m	13' 1"	9' 10"
EPPL-040-035	5060600654640	EPDM 0.8mm 4x3.5m	13' 1"	11' 6"
EPPL-045-030	5060600654664	EPDM 0.8mm 4.5x3m	14' 9"	9' 10"
EPPL-040-040	5060200444863	EPDM 0.8mm 4x4m	13' 1"	13' 1"
EPPL-050-030	5060200442210	EPDM 0.8mm 5x3m	16' 5"	9' 10"
EPPL-050-040	5060200444870	EPDM 0.8mm 5x4m	16' 5"	13' 1"
EPPL-050-045	5060600654084	EPDM 0.8mm 5x4.5m	16' 5"	14' 9"
EPPL-050-050	5060200444887	EPDM 0.8mm 5x5m	16' 5"	16' 5"
EPPL-060-030	5060600654091	EPDM 0.8mm 6x3m	19' 8"	9' 10"
EPPL-060-040	5060200442241	EPDM 0.8mm 6x4m	19' 8"	13' 1"
EPPL-060-050	5060200442234	EPDM 0.8mm 6x5m	19' 8"	16' 5"
EPPL-060-060	5060200442258	EPDM 0.8mm 6x6m	19' 8"	19' 8"
EPPL-070-040	5060600655425	EPDM 0.8mm 7x4m	19' 8"	19' 8"
EPPL-070-050	5060200444894	EPDM 0.8mm 7x5m	23' 0"	16' 5"
EPPL-070-060	5060200442265	EPDM 0.8mm 7x6m	23' 0"	19' 8"
EPPL-070-070	5060200444900	EPDM 0.8mm 7x7m	23' 0"	23'
EPPL-080-040	5060600654107	EPDM 0.8mm 8x4m	26' 3"	13' 1"
EPPL-080-050	5060600654190	EPDM 0.8mm 8x5m	26' 3"	16' 5"
EPPL-080-060	5060200442272	EPDM 0.8mm 8x6m	26' 3"	19' 8"
EPPL-080-070	5060200444917	EPDM 0.8mm 8x7m	26' 3"	23'
EPPL-080-080	5060200444924	EPDM 0.8mm 8x8m	26' 3"	26' 3"
EPPL-090-060	5060600654114	EPDM 0.8mm 9x6m	29' 6"	19' 8"
EPPL-090-070	5060200442296	EPDM 0.8mm 9x7m	29' 6"	23' 0"
EPPL-100-060	5060200444931	EPDM 0.8mm 10x6m	32' 10"	19' 8"
EPPL-100-070	5060600654206	EPDM 0.8mm 10x7m	32' 10"	23'
EPPL-100-080	5060200442333	EPDM 0.8mm 10x8m	32' 10"	26' 3"
EPPL-100-100	5060200444948	EPDM 0.8mm 10x10m	32' 10"	32' 10"
EPPL-110-080	5060200444955	EPDM 0.8mm 11x8m	36' 1"	26' 3"
EPPL-110-100	5060600655449	EPDM 0.8mm 11x10m	19' 8"	19' 8"
EPPL-130-100	5060600654121	EPDM 0.8mm 13x10m	42' 8"	32' 10"
EPPL-150-100	5060200444962	EPDM 0.8mm 15x10m	49' 3"	32' 10"

Pond Construction

PVC Pond Liners Two grades -

0.3mm (15yr guarantee) 0.5mm (30yr Guarantee)

- UV protected
- Tough durable pond liners.

Code	Barcode	Product Description
PVH03X02-3	5060200445907	PondXpert PVC Pond Liner 3x2m 0.3mm
PVH03X03-3	5060200445914	PondXpert PVC Pond Liner 3x3m 0.3mm
PVH04X03-3	5060200445921	PondXpert PVC Pond Liner 4x3m 0.3mm
PVH04X04-3	5060200445938	PondXpert PVC Pond Liner 4x4m 0.3mm
PVH05X04-3	5060200445945	PondXpert PVC Pond Liner 5x4m 0.3mm
PVH06X04-3	5060200445952	PondXpert PVC Pond Liner 6x4m 0.3mm
PVH06X05-3	5060200445969	PondXpert PVC Pond Liner 6x5m 0.3mm
PVH06X06-3	5060200445976	PondXpert PVC Pond Liner 6x6m 0.3mm

Stone Liner - Bulk Rolls (Consumer purchases cuts 'off the roll)

Code	Barcode	Product Description	Qty
PXSTONA-04X25	5060200443682	PondXpert Stone Faced Pond Liner Classic 0.4 X 25m	1
PXSTONA-04X25TZ	5060200444054	PondXpert Stone Liner Terrazzo Finish 0.4m X 25m	1
PXSTONA-06X20	5060200443699	PondXpert Stone Faced Pond Liner Classic 0.6 X 20m	1
PXSTONA-06X20TZ	5060200444177	PondXpert Stone Liner Terrazzo Finish 0.6m X 20m	1
PXSTONA-10X12	5060200443705	PondXpert Stone Faced Pond Liner Classic 1.0 X 12m	1
PXSTONA-10X12TZ	5060200444184	PondXpert Stone Liner Terrazzo Roll 1.0m X 12m	1
PXSTONA-12X12	5060200443712	PondXpert Stone Faced Pond Liner Classic 1.2 X 12m	1
PXSTONA-12X12TZ	5060200444191	PondXpert Stone Liner Terrazzo Roll 1.2m X 12m	1

EPDM Bonding Mastic 310ml

Underwater sealant. Perfect for repairing holes and tears in rubber liner and joining rubber sheets together. Sticks rubber to stone and other surfaces Designed to fit inside a cartridge gun to apply. Black coloured adhesive.

Works in wet & dry!

		Control 1	6.5
Code	Barcode	Product Description	Q
PXEPDMBM310	5060600654633	EPDM Bonding Mastic 310ml	1

Pond Fleece Underlay Pre-Packs

200gsm felt underlay with man-made fibres. Prevents root penetration and provides a cushioning against the ground level (prevents punctures from small stones etc).

4 1		·	
Code	Barcode	Product Description	Qty
FU-050-020	5060200440360	Pond Fleece 2x5m	6
FU-080-020	5060200440384	Pond Fleece 2x8m	5



Code	Barcode	Product Description
PVH03X02-5	5060200446126	PondXpert PVC Pond Liner 3x2m 0.5mm
PVH03X03-5	5060200446133	PondXpert PVC Pond Liner 3x3m 0.5mm
PVH04X03-5	5060200446140	PondXpert PVC Pond Liner 4x3m 0.5mm
PVH04X04-5	5060200446157	PondXpert PVC Pond Liner 4x4m 0.5mm
PVH05X04-5	5060200446164	PondXpert PVC Pond Liner 5x4m 0.5mm
PVH06X04-5	5060200446171	PondXpert PVC Pond Liner 6x4m 0.5mm
PVH06X05-5	5060200446188	PondXpert PVC Pond Liner 6x5m 0.5mm
PVH06X06-5	5060200446195	PondXpert PVC Pond Liner 6x6m 0.5mm



EPDM Adhesive 2.5 Litre

Water-based adhesive that allows rubber liners to be bonded to absorbent structures such as wood, concrete, masonary and other substrates. Effective for use on wooden shed roofs when rubber sheets are used. Clear colour.



odeBarcodeProduct DescriptionQtyXEPDMGLUE2.55060600654626EPDM Adhesive 2.5 Litre1

Cold Glue 10m Roll

double-sided tape can be used on all liners* - use it to join liners together or to fix punctures or tears. 5cm wide (2inch) 2mm thick.

* Excluding PVC



Code	Barcode	Product Description	Qty
COLDGL10	5060200445730	Cold Glue Double Sided Tape 10m	1

Pond Construction

Durable HDPE Black Plastic with Lifetime Guarantee

Realistic 'textured' finish.



Minnow

84 x 64 x 30cm (LWH), 55 Litres

Tench 128 x 84 x 36cm (LWH), 120 Litres



Koi





Code	Barcode	Product Description	Qty
PXPPA001	5060600652349	Minnow Preformed Pond	1
PXPPA005	5060600652356	Tench Preformed Pond	1
PXPPA009	5060600652363	Koi Preformed Pond	1

Heavy Duty Tubs & Covers

90 Litre Tub (67cm dia)

Diameter 67cm x 35cm height

NEW

Heavy Duty Lid (67cm dia) Can support up to 150kg

NEW

Code	Barcode	Product Description	Qty
PX90LRES	5060600655630	90 Litre Tub	1
PX90LRNDLID	5060600655647	HD Lid 67cm Dia.	1
PX1000LRES	5060600655654	1000 Litre Tub	1



		Sheets are used
ct Description	Qty	Code
Bonding Mastic 310ml	1	PXEPDMGLUE2.5

Water Feature Reservoirs & Lid Sets

Standard Pebble Pond Set Round

Dimensions: 630mm Ø, 200mm depth. Water Volume: 16 Litres Max load: 25kg (1 bag of white cobbles)

Heavy Duty Pebble Pond Set Round

Dimensions: 650mm Ø, 280mm depth. Water Volume: 16 Litres Max Load: 50kg

Standard Pebble Pond Set Square

Offers larger catchment area than Standard Round and a much larger water reservoir capacity. Dimensions: 800mm Ø, 300mm depth. Water Volume: 30 Litres Max load: 25kg (1 bag of white cobbles)







Diameter 140cm x 90cm height



Code	Barcode	Product Description	Qty
PXBEA888	5060600652226	Contour (Thin Kidney) Planting Basket	1
PXBEA111	5060600652264	Planting Basket Mini Square 11x11cm	1
PXBEA119	5060600652271	Small Square Planting Basket 19x9cm	1
PXBEA123	5060600652288	Med. Square Planting Basket 23x15cm	1
PXBEA128	5060600652295	Planting Baskets Large Square 27x19cm	1
PXBEA135	5060600652301	XL Square Planting Basket 35cm	1
PXBEA113	5060600652240	Small Round Planting Basket 13x10cm	1
PXBEA120	5060600652257	Medium Round Planting Basket 20x13cm	1
PXBEA140	5060600652233	Planting Basket - Lily - XL Round 40cm	1
PXPLHESS01	5060600652219	Hessian 45 x 45cm Triple Pack	1
PXPBLNER1	5060600652523	Cloth Lining Squares 50x50cm (5 pack)	1
PXPBLNER2	5060600652530	Cloth Lining Square 100 x 100cm (single)	1

Basket Liners

Hessian 45 x 45cm Triple Pack

Fits smaller baskets (11cm to 19cm). Use 2 Hessian Liners for larger baskets



Cloth Liners 50 x 50cm Fits smaller baskets (11cm to 19cm)



Cloth Lily liner 100 x 100cm Fits larger baskets baskets (35cm to 40cm)

Artificial Pond Plants - Underwater Oxygenators 1m height (50cm height Ideal for preform ponds & shallow ponds).



Code	Barcode	Product Description	Qty	Code	Barcode	Product Description
PXPLUPP050A	5060600651588	Plant Type A 50cm	1	PXPLUPP0100A	5060600651618	Plant Type A 100cm
PXPLUPP050B	5060600651595	Plant Type B 50cm	1	PXPLUPP0100B	5060600651625	Plant Type B 100cm
PXPLUPP050C	5060600651601	Plant Type C 50cm	1	PXPLUPP0100C	5060600651632	Plant Type C 100cm
PXPLUPP050D	5060600651885	Plant Type D 50cm	1	PXPLUPP0100D	5060600651908	Plant Type D 100cm
PXPLUPP050E	5060600651892	Plant Type E 50cm	1	PXPLUPP0100E	5060600651915	Plant Type E 100cm

Planting

Floating Pond Planters

A BEAUTIFUL WAY TO DISP PLAN

- Plan wat auto
- Plan be j toge

ILAY PO NTS nts kept tered	ND	
omatically nters can joined jether		

Code	Barcode	Product Description	Qty
PXFLOATRD25	5060600651694	Floating Planter Round 25cm	1
PXFLOATRD35	5060600651700	Floating Planter Round 35cm	1
PXFLOATSQ25	5060600651717	Floating Planter Square 25cm	1
PXFLOATSQ35	5060600651724	Floating Planter Square 35cm	1

Artificial Pond Plants - Floating Floating

Floating Hyacinth Dimensions:

Lily Set

27 x 27 x 6 cm (LWH) Header-Card packaging

Add instant colour

Zero maintenance.



Triple Pack Dimensions: 20cm 18cm 10cm

Code	Barcode	Product Description
PXPLANTHY1	5060200447420	Floating Hyacinth Artificial Plant
PXPLARTLILY03	5060600651731	Floating Lilies Artificial Plants (Triple)
PXGRA03	5060600652790	Pond Gravel 3KG

FlexiBasket Fabric Planters

Flexible fabric plant pots. Easy to mould into contours of pond. Promotional '3 for 2' marked packs.



Code

1

1

1

1

1

Variation of	-
No.	
	A
ALC: NOT THE	
	1 1 N

Code	Barcode	Product Description
PXPBR15X15	5060600653131	FlexiBasket Round 15x15 (3 For 2)
PXPBR25X20	5060600653148	FlexiBasket Round 25x20 (3 For 2)
PXPBS18X18	5060600653155	FlexiBasket Square 18x18x18 (3 For 2)
PXPBS25X20	5060600653162	FlexiBasket Square 25x25x20 (3 For 2)
PXPBS30X25	5060600653179	FlexiBasket Square 30x30x25 (3 For 2)
PXPLBLOOM030	5060600651571	PondBloom Fertiliser Tub (30 tablets)
PXPLBLOOM004	5060600652820	PondBloom Fertiliser 4 tablet pack



Floaties









Pond Gravel 3KG

Refined, washed gravel perfect for 'topping off planting baskets to prevent soil escaping into pond.



PondBloom Fertiliser

Designed to keep aquatic plants vigourous and beautiful. Simply use 1-2 tablets monthly per 3-4 litres of soil. 30 tablet pack.







Product Description

BrightPond LED Light Set

Super bright underwater illumination provided by high quality LED lights. Available in double light and triple sets. Includes low voltage weatherproof transformer.

- Use underwater or in the garden
- Include colour disc packs
- Includes weighted tripod stands for easy positioning underwater
- Ground stakes included for garden use.
- Longer length mains cable. 2m to transformer then 8m to first light. (1.2m cable length between lights).

Maximum Landscaping Opportunities

Qty

1

1



PondOLight Triple Light Sets

Barcode

Low voltage outdoor lighting sets with transformer. Available with LED bulb technology.

PXBPL002 5060200443798 Brightpond LED Duo Spotlights

PXBPL003 5060200443804 Brightpond LED Triple Spotlights

Sets are IP44 rated and can be used in or out of the water.

- Auto 'on/off' dawn to dusk sensor
- 3 packs of 4 coloured lenses (red, green, yellow & blue).
- Adjustable light angle.

Code

5m electrical cable from transformer to first light, then 1m cable to each light.

PondOlight LED 12v / 5watts



Code	Barcode	Product Description	Qty
PXPLLEDX3	5060200441732	PondXpert Pondolight 3 LED Lights	8

Fun Features

ViewTube

AS IF BY MAGIC ...

Fish lovers delight in being able to see their aquatic friends glide into view. These koi viewing towers create a real talking point.









Observe fry development

ViewTube



40cm tube height plus 30cm stand. Stands 65cm tall when parts erected.

Code	Barcode	Product Description	Qty
PXFVTS065	5060600652677	ViewTube 20cm Diameter	1
PXFVTS065B	5060600652912	ViewTube 30cm Diameter	1

A popular addition to raised ponds

Code

PXBE01000

PXSLIM01000

PXGW01000

Blanketweed Eliminator

An infusion of natural minerals. enzymes and additives.

Eradicates blanket weed within 5 days.

Barcode

5060200447529

Sludge Eliminator

Product Description

5060200449288 Sludge Eliminator 1kg

5060600653780 Green Water Eliminator 1kg

Blanketweed Eliminator 1kg

A scientific blend of beneficial organisms and natural minerals which perform the function of disposing of debris and fish waste. Perfect for clearing dead algae after Blanket Weed Eliminator or Green Water Eliminator has been used.

Qty

36

36

36

PXLIQAC0250

PXLIQAB0250

PXLIQAG0250

PXLIQEX0250

PXLIQAD0250

PXLIQAFP0250

PXLIQAU0250

PXLIQAFU0250

PXLIQACL0250

PXLIQAC1000

PXLIQAB1000

PXLIQAG1000

PXLIQEX1000

PXLIQAD1000

PXLIQAFP1000

PXLIQAU1000

PXLIQAFU1000

PXLIQACL1000

Barcode

5060200449301

5060200449318

5060200449325

5060200449332

5060200449349

5060200449356

5060200449363

5060200449370

5060200449493

5060200449387

5060200449394

5060200449400

5060200449417

5060200449424

5060200449431

5060200449448

5060200449455

5060200449509

Green Water Eliminator

oduct Description

PondXpert Anti-Chlorine 250ml

PondXpert Anti-Blanket Weed 250ml

PondXpert Anti-Green Water 250ml

PondXpert Anti-Duckweed 250ml

PondXpert Anti-Parasite 250ml

PondXpert Total Pond Health 250ml

PondXpert Barley Straw Essence 250ml

PondXpert Anti-Fungus & Bacteria 250ml

PondXpert Anti-Cloudy Water 250ml

PondXpert Anti-Blanket Weed 1000ml

PondXpert Anti-Green Water 1000ml

PondXpert Anti-Duckweed 1000ml

PondXpert Anti-Parasite 1000ml

PondXpert Total Pond Health 1000ml

PondXpert Anti-Cloudy Water 1000ml

PondXpert Anti-Fungus & Bacteria 1000ml

PondXpert Barley Straw Essence 1000ml

PondXpert Anti-Chlorine 1000ml



Fast acting low clouding formula that is extremely effective and fast acting. Green water will begin to disappear hours after the first dose.



Liquid Treatment Range





250ml treats 5690 litres (1250 gallons) 1 Litre treats 22,750 Litres (5000 gallons)

Barley Straw Triple Pack

The classic solution to pond blanket weed, duckweed and algae. Treats 6750 litres for 8 weeks before replenishment is needed. 100% organic and safe for all ponds. Infused with lavender for increased effectiveness.



Promo-marked '3 for 2' packs FREE promo 'dump-bin' point-of-sale available

Code	Barcode	Product Description	Qty
PXBARL03	5060200449257	Barley Straw Triple Promo	60 (free bin)
PXBARL02	5060200447574	Barley Straw TwinPack	6
PXBARLMI	5060200449264	Barley Straw Midi Bale	6
PXBARFLAKE	5060200449240	Barley Flakes 1000gal pack	6

Barley Straw Flakes

Pack includes two pouches of barley 'flake' material. Unlike other barley straw products the pouches sink to the bottom of the pond. This improves the cosmetic appearance of the pond and increased water exposure increases efficiency. Pack treats 4500 litres (1000 gallons).



Barley Straw Midi Bale

Larger bales for big ponds. Each log treats 13,500 Litres (3000 gallons) for 8 weeks.



Qty

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

Pond Treatments

Pond Gel -**Biodegradable Water Conditioners**

Pond Gel Balls

"POND GEL MAKES YOUR POND WELL"

Biodegradable balls water conditioning treatment. Simply pop them into your filter and they will slowly dissolve releasing millions of healthy bacteria and enzymes. Your pond will be brought gently back into balance as ammonia and nitrite issues are resolved. The balls also contain a clarifying agent to give the water a clear 'crisp' finish. 500ml of Gel Balls treats 15,000 Litres (3300 gallons)



Dosage: Once per week

'Throw 'n Go' Barley Juice Balls

Concentrated extract of barley straw - a completely natural solution to the problems of algae, blanketweed and green water. Simply throw a ball into the pond where it will slowly dissolve and clean up the water.

Pack contains 5 giant gel spheres.

Each sphere contains enough active ingredient for 5000 litres (1100 gallons) Dosage: Once per week.

Filter Start Gel+

A live, concentrated bacteria culture gel for use in maturing new

pond filters. This gel-based solution sticks to filter media allowing the nitrifying bacteria it contains to rapidly colonise the filter. This Gel is suited for use in most filters and will speed up maturation from day one.



NEW

Tonic Salt

Tonic Salt contains pH buffers, minerals and acts as a preventative medicine to raise general disease resistance in your fish. It also helps to lower the stress levels of your fish. Easy to use, simply mix stated amount in a bucket of pond water and pour over your pond surface.

1 capful per 70 Gallons/265 Litres

500 gramme pack treats 500 Gallons (2250 Litres) 1000 gramme pack treats 1000 Gallons (4550 Litres)





1 litre treats 15,000 litres

Pond Gel



'Throw 'n Go' Large Gel Balls

"BLOW YOUR POND PROBLEMS AWAY!"

This water conditioning treatment takes the form of 5 giant spheres. Each ball treats 5000 Litres (1100 gallons). It is a super sized version of pond gel as described above designed to be dropped straight into the pond.

Pack Treats 25,000 Litres (5500 gallons).

Code	Barcode	Product Description	Qty
PXPGBGREN	5060200449288	Pond Gel 'Throw 'n 'Go	36
PXPG0500	5060200448021	Pond Gel Balls 500ml	36
PXPG1000	5060200448038	Pond Gel Balls 1000ml	36
PXBARB	5060200449578	Pond Gel Barley Balls	36
PXWFCL0300	5060200447635	Water Feature Cleaner	36
PXTS0500	5060200449479	Pond Tonic Salt 500g	36
PXTS1000	5060200449486	Pond Tonic Salt 1000g	36
PXFILST1LTR	5060600653377	Filter Start Gel 1ltr	36
PXFILST25LTR	5060600653681	Filter Start Gel 2.5ltr	36



Water Feature Cleaner 300ml

Cleans and freshens any water feature. Water overnight. Dual action cleaner. Treats 120 Litres of water. Contains sodium salts. Do not use in fishponds or water containing livestock or plants.



Pond Food

IMPROVED POND FOOD RANGE

Nutrition +



Code	Barcode	Product Description	Qty	Protein	Size	Features of Food
PXFDMB01000	5060200440490	PondXpert Mixed Blend (1kg)	12	28%	n/a	Mix of pellet & stick foods make this ideal
PXFDMB04000	5060200443095	PondXpert Mixed Blend (4kg)	1	28%	n/a	for mixed fisheries
PXFDMB10000	5060200440506	PondXpert Mixed Blend (10kg)	1	28%	n/a	
PXFDGR01000	5060200440537	PondXpert Growth Pellets (1kg)	20	32%	4mm	High protein food designed for "growing-
PXFDGR04000	5060200443064	PondXpert Growth Pellets (4kg)	1	32%	4mm	on" of koi in summer
PXFDGR10000	5060200440544	PondXpert Growth Pellets (10kg)	1	32%	4mm	
PXFDKS01000	5060200440513	PondXpert Koi Sticks (1kg)	12	29%	n/a	High protein food for koi and large fish
PXFDKS04000	5060200443088	PondXpert Koi Sticks (4kg)	1	29%	n/a	
PXFDKS10000	5060200440520	PondXpert Koi Sticks (10kg)	1	29%	n/a	
PXFDOC01000	5060200443453	PondXpert Oranges & Cream (1kg)	12	28%	n/a	Popular 'all-round' food
PXFDOC04000	5060200441589	PondXpert Oranges & Cream (4kg)	1	28%	n/a	
PXFDOC10000	5060200442678	PondXpert Oranges & Cream (10kg)	1	28%	n/a	
PXFDPS01000	5060200440476	PondXpert Pond Sticks (1kg)	12	27%	n/a	Popular goldfish food and other surface-
PXFDPS04000	5060200443071	PondXpert Pond Sticks (4kg)	1	27%	n/a	feeding fish
PXFDPS10000	5060200440483	PondXpert Pond Sticks (10kg)	1	27%	n/a	
PXFDSP01000	5060600652837	PondXpert Staple Pellets (1kg)	20	27%	5mm	Good all-year-round feed
PXFDSP04000	5060200443040	PondXpert Staple Pellets (4kg)	1	27%	5mm	
PXFDSP10000	5060200443033	PondXpert Staple Pellets (10kg)	1	27%	5mm	
PXFDWG01000	5060200441619	PondXpert Winter Wheatgerm (1kg)	20	22%	n/a	Low protein easy-digestible food, perfect
PXFDWG04000	5060200443101	PondXpert Winter Wheatgerm (4kg)	1	22%	n/a	for winter feeding
PXFDWG10000	5060200442661	PondXpert Winter Wheatgerm (10kg)	1	22%	n/a	
PXFDSK02500	5060600652851	PondXpert Bottom Sinking Pellets (2.5kg)	4	34%	5mm	For bottom feeders such as sturgeon
PXFDFK00800	5060600652844	PondXpert Pond Flake 4 Litre (800g)	4	16%	n/a	Crumbles for smaller fish to eat

- **Comprehensive range featuring all popular varieties**
- Quality ingredients with added spirulina and vitamin C
- Packs available in 1kg, 4kg and 10kg sizes*
- No minimum order quantity okay to order single units

Feeding Ring

Floats on surface and allows easy removal of uneaten food & prevents food drifting around surface.

Floating

Thermometer Allows easing reading of water temperature. Enables user to work out what kind of food to serve.

Code	Barcode	Product Description	Qty
PXRING01	5060200448823	Food Feeding Ring	1
PXTHERM	5060600650994	Floating Pond Thermometer	1

* Flake only available in one size (800g) Sinking Pellets only available in one size (2.5kg)

Solar FoodFlinger

Auto pond food feeder. Scatters a set amount of food a pre-set number of times. Suitable for 'pellet' style food. Supplied batteries recharge by solar energy. Mains charger available separately.



Small Bags NOW

in Improved Resealable

Packaging

Code	Barcode	Product Description	Qty
PXFEEDER01	5060600652905	FoodFlinger Auto Feeder	1
PXFEEDERMA	5060600653322	FoodFlinger Adapter	1

Pond Hose & Fittings

"Y" Distributors with Flow Control Taps

Super useful pieces of kit. These Y pieces allow users to direct their water flow to multiple devices (for instance a waterfall and 'spitter' pondside ornament). The flow taps enable the consumer to get the exact force of water they require.

Available in small, large and premium models to cover all situations.

Description Hose Size

Small Y Large Y

20mm & 25mm (3/4" & 1"). 25 / 32 / 38 / 40mm (1" to 13/4").

PVC Pond Hose

Features:

- Smooth bore-minimal flow restriction
- Will not kink or split
- Convenient 5m lengths will suit most ponds

Pond Hose & Fittings

Code	Barcode
PXHOSE12X5	5060200443460
PXHOSE12X30	5060200447574
PXHOSE20X5	5060200443477
PXHOSE20X30	5060200447581
PXHOSE25X5	5060200443484
PXHOSE25X30	5060200447598
PPXHOSE32X5	5060200443491
PXHOSE32X30	5060200447604
PXHOSE40X5	5060200443514
PXHOSE40X30	5060200447611
PXHOSE50X5	5060200443521
PXHOSE50X30	5060200447628
PXY0SM	5060200448632
PXYOLGB	5060200448625
PXHOSEFRLGU	5060600652394
PXHOSEJL	5060600652462

Clips

Double Wire and Jubilee clips are available Features:

Zinc plated, will not corrode

Easy to tighten

Clips

Code	Barcode
UACLIPSRED	5060200445587
UACLIPSYELL	5060200445594
UACLIPSBLU	5060200445600
UACLIPSGRN	5060200445617
UACLIPSBLK	5060200445624
UACLIPSWHT	5060200445631





Universal Joiner

Joins hose 20 / 25 / 32 / 38mm



Universal Flow Regulator

38/32/25mm (down to 20mm one end).





Product Description	Qty
PondXpert Pond Hose 12mm x 5m	1
PondXpert Pond Hose 12mm x 30m	1
PondXpert Pond Hose 20mm x 5m	1
PondXpert Pond Hose 20mm x 30m	1
PondXpert Pond Hose 25mm x 5m	1
PondXpert Pond Hose 25mm x 30m	1
PondXpert Pond Hose 32mm x 5m	1
PondXpert Pond Hose 32mm x 30m	1
PondXpert Pond Hose 40mm x 5m	1
PondXpert Pond Hose 40mm x 30m	1
PondXpert Pond Hose 50mm x 5m	1
PondXpert Pond Hose 50mm x 30m	1
Y Piece Small Ajustable 20 - 25mm	20
Y Piece Large Ajustable 32 - 40mm	20
Universal Flow Regulator	1
Universal Hose Joiner 20/25/32/38mm	1





Product Description	Qty
12mm to 20mm clips - Red tab - Quad Pack	1
25mm clips - Yellow tab - Quad Pack	1
32mm clips - Blue Tab - Quad Pack	1
38mm clips - Green tab - Quad Pack	1
40mm clips - Black tab - Quad Pack	1
50mm clips - White tab - Quad Pack	1

CONTACT INFO

Sales Managers

South East, South West, NI & ROI

Tom Jeffery 07711 994927 t.c.jeffery@pondxpert.co.uk

Midlands & North Steve Cooper 07494 156772 steve.cooper@pondxpert.co.uk

Sales Office

Billingham 01642 370898 sales@pondxpert.co.uk

www.pondxpert.co.uk

A3 Bentley Avenue Billingham TS23 4BU



MOVEMENT · SOUND · REFLECTION · DRAGONFLIES · BIRDS · AMPHIBIANS

