



**pondXpert**

STEP BY STEP POND SUCCESS

# WATER FEATURES



20  
26

# CONTENTS

CATEGORY	CONTENTS	PAGE
<b>Introduction</b>		<b>3</b>
<b>Plug &amp; Play</b>		<b>4</b>
	Water Features	5
	Water Spitters	8
<b>Solar Power</b>		<b>10</b>
	Solar Showers	11
	Solar Pumps	14
	Solar Lights	16
<b>Water Pumps</b>		<b>18</b>
	Fountain Pumps	19
	Feature Pumps	20
	All-In-One Pumps	22
<b>Construction</b>		<b>23</b>
	Liners	24
	Underlay	25
	Pebble Ponds	26
	Preformed Tubs	27
<b>Electrics &amp; Lighting</b>		<b>28</b>
	Outdoor Electrics	28
	Lighting	30
<b>Hose, Clips &amp; Fittings</b>		<b>32</b>
	Hose/Clips	32
	Fittings	33
<b>Guides</b>		<b>34</b>
	Installing A Pebble Pond	34
	Maintaining Water Features	36
	Troubleshooting: Leaky Feature	37
	Troubleshooting: Pump Not Working	38
	Troubleshooting: Noisy Pump	39
	Troubleshooting: Algae Growth	40
	About PondXpert	41

**NEW PRODUCTS  
GUARANTEED TO APPEAL  
TO ALL YOUR CUSTOMERS**

Consumer demand in the 'Solar' category has accelerated during the recent energy crisis. Take advantage with our solar range that has doubled in size!

Look out for this badge:




**Perfect Upsell  
Opportunity**

Keep an eye out for these upselling tips!





# Water Features An Introduction

We've put together a collection of beautiful, high-quality water features that are perfect for retailers like you. Whether it's a small solar powered fountain or a statement piece for the garden, these designs are all about adding a touch of peace and charm to any space.

Take a look—you're sure to find something your customers will love!

# PLUG & PLAY



Easy to install with **no plumbing required**, they bring soothing water sounds, better air quality, and a stunning focal point.

In the box you'll find your chosen feature plus everything you need to get set-up:

**Solar powered pump with battery back-up**

**Hose**

**LED Lights**

**NEW!**



**SOLD OUT**

### SolaBall Sandstone

22 x 22 x 61cm (LxWxH)

**NEW!**



### SolaBall Grey

27 x 27 x 56cm (LxWxH)

**NEW!**



### Cascading Jugs

22 x 22 x 61cm (LxWxH)

CODE	DESCRIPTION & BARCODE	QTY
PXSOLBALLSAND	SolaBall Sandstone 5060600655708	1
PXSOLBALLGREY	SolaBall Grey 5060600655692	1
PXSOLJUGS	Cascading Jugs 5060600655715	1



### Perfect Upsell Opportunity

Add Water Feature Cleaner (P34) to keep units looking new



### Triple Tumble

39 x 39 x 72cm (LxWxH)



### Elegance

58 x 58 x 86cm (LxWxH)



### Stepped Frog Cascade

45 x 36 x 64cm (LxWxH)

CODE	DESCRIPTION & BARCODE	QTY
PXSOLWFTTUMBLE	SolarFalls Triple Tumble 5060200444276	1
PXSOLWFCLASSIC	Elegance Classical 5060200444245	1
PXSOLSFROGC	Stepped Frog Cascade 5060600655722	1



Check **P37** for a guide on how to maintain a water feature.

**NEW!**



### **Bird Bath**

41 x 39 x 71cm (LxWxH)



### **Terracotta Cascade**

32 x 32 x 53cm (LxWxH)

CODE	DESCRIPTION	BARCODE	QTY
PXSOLWFBATHCONT	SolarFalls Contemporary Bird Bath	5060200444269	1
PXSOLWFCLASSIC	SolarFalls Terracotta Solar Cascade	5060200444283	1

All of the features listed on P5 - P7 are supplied with a Solar Powered Pump (with Battery Back-Up), LED Lights & Hose.



### **Perfect Upsell Opportunity**

Mains adaptors are available (P11) for all units, allowing you to charge the unit up.





# Pondside Spitters

Pondside spitters are decorative water features that add charm and functionality to a garden pond.

Typically designed as small sculptures or figurines, these spitters create gentle streams of water that arc into the pond, enhancing its aesthetic appeal while promoting water circulation and aeration.

Beyond their visual appeal, pondside spitters contribute to a healthier aquatic environment by increasing oxygen levels, which benefits fish and plants alike.



## Koi Fish Spitter

---

We supply a range of pumps that pair well with these pondside spitters, see **P15** for the full range.

**Crouching Frog - Large**



CODE	DESCRIPTION	BARCODE	QTY
PXSOLSPIT05	Crouching Frog Spitter (Large)	5060600655272	1
PXSOLSPIT04	Koi Fish Spitter	5060600655265	1
PXSOLSPIT01	Seal Spitter (Sea Lion)	5060600655234	1
PXSOLSPIT02	Crouching Frog Spitter (Small)	5060600655241	1
PXSOLSPIT07	Turtle Spitter	5060600655739	1

**Crouching Frog - Small**



# SOLAR POWER



Effortless, eco-friendly, and efficient—our solar-powered pumps are the perfect addition to any water feature.

Powered by sunlight, they're energy-saving and easy to install, making them a great choice for customers looking to go green without compromising on style or functionality.

Explore our range and find the ideal solar pump for any setup!

# SolarShower Pumps

WITH BATTERY BACK-UP!

A feature-packed solar pump

Create the opportunity to have a fountain in your pond or water feature straight out of the box!

- **No Wiring**
- **No Running Cost**
- **Range from 200LPH - 3000LPH**

Solar pumps used to struggle in low sunlight, but our SolarShower pumps are different. With a **reliable lithium battery back-up**, they run year-round in any weather and feature 'auto-on' LED lights for effortless charm, day or night.



## Perfect Upsell Opportunity

Add a mains charger to allow the pump to be used year-round!

CODE	DESCRIPTION	BARCODE	QTY
PXSOLADAPT9	5v Adapter	5060200444290	1
PXSOLADAPT9	9v Adapter	5060200444313	1
PXSOLADAPT15	12v Adapter	5060600653667	1

# SolarShower Pumps

WITH BATTERY BACK-UP!

## SolarShower 200

**Max Flow:** 200LPH

**Power:** 2w, 5v Battery

**Max Lift:** 0.8m

## SolarShower 300

**Max Flow:** 300LPH

**Power:** 3w, 9v Battery

**Max Lift:** 1.2m



## SolarShower 400

**Max Flow:** 400LPH

**Power:** 5w, 9v Battery

**Max Lift:** 1.4m

## SolarShower 600

**Max Flow:** 600LPH

**Power:** 7w, 9v Battery

**Max Lift:** 1.4m



## SolarShower 800

**Max Flow:** 900LPH

**Power:** 9w, 12v Battery

**Max Lift:** 2.0m

## SolarShower 1600

**Max Flow:** 1600LPH

**Power:** 20w, 12v Battery

**Max Lift:** 2.7m

CODE	DESCRIPTION	BARCODE	QTY
PXSOL200	SolarShower 200	5060200444207	20
PXSOL300	SolarShower 300	5060200444214	10
PXSOL400	SolarShower 400	5060200444221	4
PXSOL600	SolarShower 600	5060200445877	4
PXSOL800	SolarShower 800	5060200445884	4
PXSOL1600	SolarShower 1600	5060600653650	5

# SolarShower Pumps

WITH BATTERY BACK-UP!

## SOLARSHOWER FLOAT

SolarShower Floats make great standalone features with a built-in solar panel and remote control (up to 10m/33ft).

The 180 includes fittings to secure fountain in centre of bird bath if desired.

The 200 model includes RGB LED lights



Model	Max Flow	Power	Max Lift
Float 180	180LPH	2.5w / 3.7v Battery	0.5m
Float 200	200LPH	1.4w / 3.7v Battery	0.35m

## SOLARSHOWER PRO 3000

Solar-powered filter pump for ponds up to 2000L. Includes pump, panels, control unit & charger.

**Max Flow:** 3000LPH

**Power:** 50w / 18.5v Battery (booster panel available)

**Outlet Size:** 20/25/32mm

**Note: no fountain kit supplied for this pump**

NEW!



CODE	DESCRIPTION	BARCODE	QTY
PXSOLFLOAT180	SolarShower Float 180	5060600655753	5
PXSOLFLOAT2018	SolarShower Float 200	5060200448762	5
PXSOL3000COMPLETE	SolarShower Pro 3000	5060600655210	1
PXSOL3000BOOST	SolarPro 3000 Booster Panel	5060600655227	1

# Sunny Pumps

We're well-known for our solar pumps with battery backup, and now we're excited to introduce an entry-level option with the launch of our SunnyPump range! These pumps operate in **direct sunlight** only.

## SUNNYPUMP ISLAND 150

- perfect for small ponds
- ideal for birdbaths
- integrated solar panel
- includes 3 fountain heads

**Max Flow Rate:** 150LPH

**Power:** 1.4w

**Max Lift:** 0.3m



### TOP TIPS



If continuous operation is required, consider a system with a battery (**P12**) to store energy for cloudy days or nighttime.

## SUNNYPUMP 250

- perfect for small ponds
- reliable
- small physical size
- includes 3 fountain heads

**Max Flow Rate:** 250LPH

**Power:** 1.5w

**Max Lift:** 0.6m

## SUNNYPUMP 900

- powerful display
- ideal for birdbaths
- includes strainer bag to avoid blockages
- includes 3 fountain heads

**Max Flow Rate:** 900LPH

**Power:** 10w

**Max Lift:** 2.0m

**NEW!**

CODE	DESCRIPTION	BARCODE	QTY
PXSUNNYFL150	SunnyPump Island 150	5060600652653	1
PXSUNNY0250	SunnyPump 250	500600652448	1
PXSUNNY0900	SunnyPump 900	5060600655579	1

# SolarPulse Pumps

Solar fountains with battery back-up plus a “pulse” **jumping jet mode** option. Watching water jets ‘jump’ provides the owner with a novel and much more rewarding visual experience. A control panel allows for mode changes, chose between continuous flow or jumping jets.

## SOLARPULSE 250

**Max Flow Rate:** 250LPH  
**Power:** 2w / 3.7v Battery  
**Outlet Size:** 8mm

**NEW!**

## SOLAR PULSE 500

**Max Flow Rate:** 500LPH  
**Power:** 9w / 9v Battery  
**Outlet Size:** 12mm

TOP TIPS



The SolarPulse range are perfect for pairing with a spitter! See **P9** for the range.



## SOLAR EXTENSION CABLE

Compatible with all PondXpert Solar Pumps. Enables the user to increase the distance between the pump and the solar panel. Ideal for landscaping opportunities. **5m length.**



CODE	DESCRIPTION	BARCODE	QTY
PXSOLSPIT0250	SolarPulse 250	5060600655173	1
PXSOLSPIT0500	SolarPulse 500	5060600655180	1
PXSOLEXTCBL	Solar Power Extension Cable	5060600653711	1

# Solar Spotlights

Brighten outdoor spaces with stylish, eco-friendly solar lights. Energy-efficient and versatile, they work in or out of water.

## SPOTLIGHT DUO & TRIO

Adjustable head, bright white LED, battery back-up, auto-illuminate

**Box Includes:** spotlights, solar panel, optional ground stake, low voltage cable

**Solar Panel Power:** 0.6w / 2.5w

**Cable Length:** 3.2m + 1.15m between lights



**Retail Shelving Unit POS**

**NEW!**

Contact your representative for details



## SPOTLIGHT TRIO - RGB

Adjustable head, battery back-up, auto-cycle between 7 colours or chose a fixed colour of **Red**, **Green** or **Blue**.

**Box Includes:** spotlights, solar panel, optional ground stake, low voltage cable

**Solar Panel Power:** 2.5w

**Cable Length:** 3.2m + 1.15m between lights

CODE	DESCRIPTION	BARCODE	QTY
PXSOLSPOT02	Solar Spotlight Duo	5060200449523	1
PXSOLSPIT0500	Solar Spotlight Triple	5060200449530	1
PXSOLEXTCBL	Solar Spotlight Triple RGB	5060200449844	1

# Solar Sublight Super

The SolarSublight SUPER range offers premium solar submersible lights with powerful lighting, **high-capacity lithium batteries**, brightness options, leak-proof design, and dusk-to-dawn auto illumination.

## SolarSublight SUPER Triple Set

**LED Colour:** Warm White

**Lighting Power:** 1w per light / 120 lumens

**Set Illumination:** 3w / 360 lumens

**Battery Back-Up:** 3.7v / 2200mAh (Lithium)

**Solar Panel Power:** 3.5w

**Cable Length:** 3m + 1.15m between lights



## SolarSublight SUPER Triple RGB

Auto-cycle between 7 colours or chose a fixed colour of Red, Green or Blue.

**LED Colour:** RGB

**Lighting Power:** 1w per light / 120 lumens

**Set Illumination:** 3w / 360 lumens

**Battery Back-Up:** 3.7v / 2200mAh (Lithium)

**Solar Panel Power:** 3.5w

**Cable Length:** 3m + 1.15m between lights

## SolarSublight SUPER Quad Set

Two lengths of cable allow for extended positioning possibilities for the consumer.

**LED Colour:** Warm White

**Lighting Power:** 1.2w per light / 144 lumens

**Set Illumination:** 4.8w / 576 lumens

**Battery Back-Up:** 3.7v / 3600mAh (Lithium)

**Solar Panel Power:** 3.5w

**Cable Length:** 3m + 1.15m between lights

CODE	DESCRIPTION	BARCODE	QTY
PXSOLSUPER03	Solar SUPER Spotlight Triple	5060600655548	1
PXSOLSUPER03RGB	Solar SUPER Sublight RGB	5060600655555	1
PXSOLSUPER04	Solar SUPER Sublight Quad	5060600655562	1

# MAINS POWERED PUMPS



Equip your customers to create stunning water features with our durable, efficient fountain and feature pumps.

Available in various sizes and price points, they combine power and performance, offering a great sales opportunity to enhance outdoor spaces

# Fountasia

This pond pump can handle any job you throw at it! The main function of the PondXpert Fountasia is to create a spectacular fountain display in your garden which not only looks good but also helps to aerate your water.

- **Dual Flow Control via Sturdy T-Piece**
- **1 Year Guarantee**
- **10m Power Cable**



Smaller models include 2 fountain heads **(A, B)** and a 12/20mm hose tail; larger models (3000/4000) have 3 heads **(A, B, C)** and larger hose tails.



**A - Bell**



**B - Tiered Spray**



**C - Geyser Jet**

CODE	DESCRIPTION	MAX HEAD	POWER	BARCODE	QTY
PXFT1000	Fountasia 1000	1.8m	14w	5060200444122	12
PXFT1500	Fountasia 1500	2.5m	25w	5060200444139	12
PXFT2000	Fountasia 2000	2.5m	35w	5060200444146	12
PXFT3000	Fountasia 3000	2.8m	60w	5060200444153	12
PXFT4000	Fountasia 4000	2.9m	70w	5060200444160	12

# FeatureFlow

These pumps pack a punch despite their compact size and are perfect for customers wishing to construct a water feature.

- **Incorporated Flow Adjuster:** reduces flow by up to 30%.
- **Tool-Free Cleaning:** allows easy impeller access.
- **Rubber Suckers:** ensure stability and aid pump positioning
- **Cable Length:** all sizes available with 5m or 10m
- **Individual Hosetails:** simplify installation (see next page)



## FeatureFlow - 5m Cable

MODEL / LPH	POWER	MAX HEAD	CODE	BARCODE	QTY
350	6w	0.7m	PXFEAT0350	5060200443910	12
450	5w	0.9m	PXFEAT0450	5060200443927	12
750	10w	1.4m	PXFEAT0750	5060200443934	12
1000	14w	1.8m	PXFEAT1000	5060200443941	12
1200	20w	2.0m	PXFEAT1200	5060200443958	12
1500	25w	2.5m	PXFEAT1500	5060200443965	8
2000	45w	3.0m	PXFEAT2000	5060200443972	8
3000	70w	3.5m	PXFEAT3000	5060200443989	8
4000	90w	4.0m	PXFEAT4000	5060200443996	8

# FeatureFlow - 10m Cable

MODEL / LPH	POWER	MAX HEAD	CODE	BARCODE	QTY
350	6w	0.7m	PXFEAT0350X	5060200447642	12
450	5w	0.9m	PXFEAT0450X	5060200447659	12
750	10w	1.4m	PXFEAT0750X	5060200447666	12
1000	14w	1.8m	PXFEAT1000X	5060200447673	12
1200	20w	2.0m	PXFEAT1200X	5060200447680	12
1500	25w	2.5m	PXFEAT1500X	5060200447697	8
2000	45w	3.0m	PXFEAT2000X	5060200447703	8
3000	70w	3.5m	PXFEAT3000X	5060200447710	8
4000	90w	4.0m	PXFEAT4000X	5060200447727	8

## Hose Sizes

- FeatureFlow 350** - 8/12mm
- FeatureFlow 450** - 8/12mm
- FeatureFlow 750** - 8/12mm
- FeatureFlow 1000** - 8/12mm
- FeatureFlow 1200** - 12/20mm
- FeatureFlow 1500** - 12/20mm
- FeatureFlow 2000** - 12/20mm
- FeatureFlow 3000** - 12/20/25mm
- FeatureFlow 4000** - 12/20/25mm



**NEW!**

**Retail Shelving Unit  
POS**

Contact your  
representative for details



Applicable to both 5m & 10m versions

# TripleAction Evolve 2000

A complete submersible filtration system in one handy unit. Very easy to install. One 10m electrical cable powers all functions. Hides underwater leaving pond side clear of equipment.

- **Large Filtration Area:** Packed with filter media including foams and biomedia pods
- **Integrated UVC:** 5w UVC to combat green water
- **Reliable Pond Pump:** 1000LPH pump, suitable for ponds up to 1000L (with fish) or 2000L without fish
- **Fountain Kit:** Included with this pump are 3 fountain heads (bell, single-tier, double-tier)
- **Separate Hosetails:** 12mm, 20mm or 25mm hose can be used with this unit to direct water to a waterfall or cascade
- **T-Piece:** allows for the water flow to be split and diverted to both the fountain and a cascade

TOP TIPS



This reliable pump can run a fountain **and** supply water to a small waterfall or feature.

Use the t-piece (included) along with flexible hose on **P33** to direct water to a feature.



CODE	DESCRIPTION	POWER	BARCODE	QTY
PXTP02000E	TripleAction 2000 Evolve 5w	24w	5060600652165	4

# WATER FEATURE CONSTRUCTION



From basins to liners, we offer everything needed to create stunning features, waterfalls, and more.

Durable, innovative, and offering great value for money, our products blend beauty with functionality. Help your customers bring their water feature visions to life.

# Flexible Liners



Waterproof sheeting to line ponds, waterfalls and features. We are a pond liner specialist and have sold over 100,000 liners to date. Sell these liners with confidence!

Manufactured out of LDPE sandwiched between two coatings of black, UV-resistant laminate, we offer these liners in pre-cut sizes.

## GUARANTEE

Fully guaranteed watertight for 30 years

## PROPERTIES

0.3mm thick making this material very easy to work with. The woven design of the material ensures strength despite the lightweight nature.


## STRENGTH

The unique selling point of this item is that it is tearproof - if the liner is punctured, the damage remains localized and does not spread, unlike other materials prone to tearing further.

CODE	DESCRIPTION	BARCODE	QTY
FL-020-020	2 x 2m Flexiliner	5060200445662	20
FL-025-025	2.5 x 2.5m Flexiliner	5060200445754	20
FL-030-020	3 x 2m Flexiliner	5060200445747	20
FL-030-025	3 x 2.5m Flexiliner	5060200445761	15
FL-030-030	3 x 3m Flexiliner	5060200441688	15
FL-040-030	4 x 3m Flexiliner	5060200440575	10

# Fleece Underlay

Crafted with durable synthetic fibers, this **200gsm felt** underlay prevents root intrusion and acts as a protective cushion against the ground. It safeguards against punctures caused by small stones and uneven surfaces, ensuring long-lasting performance.



CODE	DESCRIPTION	BARCODE	QTY
FU-050-020	Pond Fleece 5x2m	5060200440360	6
FU-080-020	Pond Fleece 8x2m	5060200440384	5

## TOP TIPS



Our underlay comes in two convenient sizes—5x2m and 8x2m—making it easy to cover any area you need.

No need to fuss with joining pieces; simply overlap the edges if required for seamless, hassle-free installation.

# Pebble Ponds

A perfect standalone feature reservoir!



## PEBBLE POND ROUND

**Dimensions:** 630mmØ x 200mm depth

**Water Volume:** 16L

**Max Load:** 25KG



## HEAVY DUTY PEBBLE POND

**Dimensions:** 650mmØ x 280mm depth

**Water Volume:** 16L

**Max Load:** 50KG



## PEBBLE POND SQUARE

**Dimensions:** 800mmØ x 300mm depth

**Water Volume:** 30L

**Max Load:** 25KG

TOP  
TIPS



1 bag of pebbles is  
approx 20KG



CODE	DESCRIPTION	BARCODE	QTY
PXPEBPORLT	Pebble Pond Round	5060600652318	1
PXPEBPORHD	Heavy Duty Pebble Pond	5060600652325	1
PXPEBPOSHD	Pebble Pond Square	5060600652332	1

# Heavy Duty Tubs

Preformed tubs are durable, easy to install, and provide a ready-made shape for creating water features, saving time and effort. Their sturdy design ensures long-term use and helps prevent leaks, making them a reliable choice for both beginners and professionals.



## HEAVY DUTY LID

**Dimensions:** 670mmØ

**Max Weight:** 150KG

## 90 LITRE TUB

**Dimensions:** 670mmØ x 350mm depth

**Water Volume:** 90L



TOP  
TIPS



Take a look at **P35-P36** for step-by-step guides, top tips and advice on installing a water feature!

CODE	DESCRIPTION	BARCODE	QTY
PX90LRES	90 Litre Tub	5060600655630	1
PX90LRNDLID	Heavy Duty Lid - 67cm	5060600655647	1

# ELECTRICS AND LIGHTING

Outdoor switchboxes are essential water gardening equipment. These sturdy units offer a number of outlet options and are easy to wire up.

- Individually fused outlets
- Enlarged connectors for easy wiring
- Wall fixing bracket included
- Spare fuse included
- Max load per outlet: 400w

**3** YEARS  
WARRANTY



CODE	DESCRIPTION	MAX LOAD PER BOX	BARCODE	QTY
PX3WAY	EasySwitch Box 3 Way	1200w	5060600653100	1
PX4WAY	EasySwitch Box 4 Way	1600w	5060600653117	1
PX6WAY	EasySwitch Box 6 Way	2400w	5060600653124	1

TOP  
TIPS



In the UK, pond and water gardening equipment cannot legally be sold with a fitted plug.

## Electrical Cable Connector

Joins electrical cable with a watertight seal but has the benefit of being able to “snap off” the connection. This IP68 rated connector means that outdoor items such as water pumps can be easily disconnected and removed when necessary (e.g. winter)



## Electrical Cable Joiners

Waterproof connector - perfect for extending power cable length. IP68 rated.



## Outdoor Cable

Standard weatherproof 3-core electrical cable. Can be used with a joiner to extend the length of the power cord on a pump



CODE	DESCRIPTION	BARCODE	QTY
PXCONN	Weatherproof Connector & Socket	5060200443781	1
PXJOIN	Electrical Cable Joiner	5060200443774	1
PX3CWAY	Electrical Cable Joiner - Triple	5060200449813	1
PKNORMCB10	Electrical Cable Grab Bag - 10m	5060200440674	1
PXCABLEHD50	Heavy Duty Cable -50m Reel	5060200440681	1

# Water Feature Lighting

## PONDOLIGHT TRIPLE LIGHT SET

These LED lights can be used in or out of the water and are connected to a low voltage transformer (supplied) for safety.

- IP44 Rated
- Auto on/off dawn to dusk sensor
- Supplied with coloured lenses (red, yellow, green, blue)
- Adjustable light angle
- Wattage: 4.8w
- Cable length: 5m from transformer to first light, 1m between lights



## LED LIGHT RINGS

Designed for use with the PondXpert TripleAction range but fits most other fountain pumps and can also be used with 25mm hose.

- Cable length: 2m to transformer, 5m from transformer to light
- Wattage: 2w
- White light is static
- Coloured light rotates through multiple colour states

CODE	DESCRIPTION	BARCODE	QTY
PXPLLEDX3	PondOLight Triple Set	5060200441732	1
PXRINGWHT	LED Light Ring (White)	5060600652899	1
PXRINGCOL	LED Light Ring (Colour)	5060600652882	1

# Installing Feature Lighting

Transform your garden with stunning water feature lighting. Follow these steps to install it safely and efficiently.

## Materials Needed

- PondXpert LED Lights (**P30**)
- Outdoor Cable (**P29**) *optional*
- PondXpert Cable Connector (**P29**) *optional*
- Safety Gloves



## Step 1: Plan Layout & Choose Lights

1. Decide where to place the lights, consider highlighting waterfalls or fountains.
2. Use energy-efficient LED submersible spotlights.
3. Consider whether you want coloured or white lights.
4. Ensure the power cable can safely reach an outdoor electrical outlet.
5. If needed, extend the power cord using the PondXpert Cable Connector and an additional length of outdoor cable.

## Step 2: Lay Cables & Position Lights

1. Wearing safety gloves, run the power cable from the transformer to the power source, hiding them under rocks or soil.
2. Place lights in desired location and adjust angles for the best effect.

## Step 4: Test System

1. Turn on the power source, check lights and make adjustments if necessary
2. Inspect cables, connections and seals regularly.

**Enjoy the serene glow of your illuminated water feature!**

# HOSE, CLIPS AND FITTINGS

## PVC FLEXIBLE HOSE

- Smooth bore for minimal flow restriction
- Will not kink or split
- Convenient pre-cut 5m lengths will suit most customers



## HOSE CLIPS

- Zinc plated (will not corrode)
- Plastic tabs for easy-tightening



CODE	DESCRIPTION	BARCODE	QTY
PXHOSE12X5	Pond Hose 12mm x 5m	5060200443460	1
PXHOSE20X5	Pond Hose 20mm x 5m	5060200443477	1
PXHOSE25X5	Pond Hose 25mm x 5m	5060200443484	1
PXHOSE12X30	Pond Hose 12mm x 30m	5060200447574	1
PXHOSE20X30	Pond Hose 20mm x 30m	5060200447581	1
PXHOSE25X30	Pond Hose 25mm x 30m	5060200447598	1
UACLIPSRED04	12-20mm Clips - Quad Pack	5060200445587	1
UACLIPSYELL04	25mm Clips - Quad Pack	5060200445594	1
UACLIPSRED25	12-20mm Clips - Bulk Pack (50)	5060200448649	1
UACLIPSYELL25	25mm clips - Bulk Pack (50)	5060200448656	1


# Fittings & Extras

## Y-Pieces

An incredibly handy tool, it enables users to direct water flow to multiple devices, such as a waterfall and a pond-side spitter. The flow tap allows precise adjustment to achieve the desired water force.

Accepted hose size:

- **Small:** 20mm, 25mm
- **Large:** 25mm, 32mm, 38mm 40mm



## Universal Joiner

A convenient and cost-effective tool for connecting hoses of various sizes. Compatible with 20mm, 25mm, 32mm, 38mm, and 40mm hoses.

## Universal Flow Regulator

Control your flow of water with this heavy duty flow regulator. Compatible with 20mm, 25mm, 32mm, 38mm, and 40mm hoses.



## Water Feature Cleaner

Cleans and freshens any water feature. Dual action cleaner, acts within 24 hours. Treats 120L. Do not use in features containing fish or wildlife.



CODE	DESCRIPTION	BARCODE	QTY
PXY0SM	Y Piece Distributor Small	5060200448632	10
PXY0LGB	Y Piece Distributor Large	5060200448625	10
PXHOSEJL	Hose Universal Joiner	5060600652462	1
PXHOSEFRLGU	Universal Flow Regulator	5060600652394	1
PXWFCL0300	Water Feature Cleaner	5060200447635	10

# GUIDES

## Installing A Pebble Pond

Creating a pebble pond is a simple yet rewarding DIY project that adds tranquility and elegance to your outdoor space. Follow these steps to install a pebble pond using a plastic reservoir.

### Materials Needed

- PondXpert Pebble Pond **(P27)**
- Pebbles or decorative stones
- Pond pump with fountain attachment **(P20)**
- Sand or fine gravel
- Shovel
- Spirit Level
- Water
- Plants (optional, for decoration)
- Edging materials (e.g., flat stones or bricks)



### Step 1: Select the Location

1. Choose a location that receives partial sunlight to prevent excessive algae growth.
2. Ensure the ground is level and clear of roots, rocks, and other debris.

### Step 2: Mark and Excavate

1. Place the plastic pebble pond on the ground and mark its outline with string or chalk.
2. Dig a hole slightly larger than the reservoir's dimensions.
3. Add a 2-inch layer of sand or fine gravel to the base of the hole for stability and leveling.

### Step 3: Position the Reservoir

1. Place the reservoir in the hole and check that it sits level using a spirit level.
2. Backfill around the edges with soil to secure it, tamping down gently to eliminate air pockets.

### Step 4: Install the Pump

1. Position the pond pump at the center of the reservoir.
2. Ensure the power cable can safely reach an outdoor electrical outlet.

### Step 5: Add Pebbles and Water

1. Rinse the pebbles thoroughly to remove dust and debris.
2. Place the pebbles gently at the bottom of the reservoir, covering the pump but leaving access for maintenance.
3. Fill the reservoir with water, ensuring the pump is fully submerged.

### Step 6: Test the Pump

1. Connect the pump to mains power and test the water flow.
2. Adjust the fountain attachment or tubing as needed to achieve your desired effect.

### Step 7: Decorate and Finish

1. Add more pebbles or decorative stones around the edge of the reservoir for a natural look.
2. Install edging materials to conceal the reservoir's rim.
3. Place aquatic plants or potted plants around the pond to enhance its appearance.
4. Consider adding LED lights **(P31)** for nighttime ambiance.

## Maintenance Tips

- Clean the pump impeller regularly to ensure proper water flow.
- Remove debris, such as leaves, from the surface to keep the water clear.
- Refill the pond as needed to compensate for evaporation.

**Enjoy your new pebble pond and the soothing sound of flowing water!**



# Maintaining Water Features

Keep your water feature clean, functional, and beautiful with these easy steps!

## Regular Cleaning

- Remove debris like leaves and dirt with a skimmer or net.
- Wipe surfaces to prevent algae buildup.
- Use PondXpert Water Feature Cleaner (**P34**)



## Maintain Water Levels

- Refill water to compensate for evaporation, avoiding overfilling.
- Ensure levels are adequate for pump operation.

## Control Algae Growth

- Use specialist treatments or natural methods such as barley straw.
- Place the feature in partial shade to limit sunlight exposure.

## Care for the Pump

- Check the pump for blockages and clean it regularly.
- Store the pump indoors during freezing temperatures.

## Seasonal Maintenance

- **Spring:** Deep clean and refill with fresh water.
- **Summer:** Monitor water levels and algae.
- **Autumn:** Clear falling leaves frequently.
- **Winter:** Drain and cover if not winter-safe.



## Inspect for Damage

- Check for leaks or cracks and address them promptly.

## Enhance Aesthetics

- Add aquatic plants and submersible lights for beauty and functionality.



**With regular care, your water feature will remain a stunning focal point for years to come.**

# Troubleshooting Common Issues

Water features can add beauty and tranquility to any outdoor space, but they occasionally encounter problems. Below is a guide to help you identify and resolve common issues with water features.

## Leaky Feature

A leak in your water feature can lead to water wastage and require constant refilling. Here are steps to identify and fix leaks:

### Signs of a Leak

- Rapid water level drops.
- Wet soil or puddles near the water feature.
- Visible cracks or splits in the structure.

### Solutions

#### Inspect for Damage:

- Check the surface of the basin, fountain, or liner for cracks or holes.
- Inspect joints, seals, and fittings for gaps.

#### Patch Small Cracks:

- Use a waterproof sealant for minor cracks in concrete or stone.
- Apply a repair patch for torn or punctured liners - ensuring the adhesive is compatible with your liner.

#### Replace Components:

- Replace severely damaged liners, pipes, or fittings.
- Use flexible plumbing connections to reduce stress on joints.



## Pump Not Working

If the pump is not functioning, your water feature won't circulate properly.

### Causes

- Power supply issues.
- Clogged impeller or intake.
- Pump burnout.

### Solutions

#### Check Power Supply:

- Ensure the pump is plugged in and the outlet is functional.
- Reset circuit breakers if necessary.

#### Clean the Pump:

- Remove blockages from the intake and impeller.

#### Replace Burned-Out Pumps:

- If the motor is damaged, replace the pump entirely.



TOP  
TIPS



If you are unable to install an outdoor switchbox (**P29**) then it is highly recommended to use your pump in conjunction with an RCD.

Residual Current Devices (RCDs) are vital for pond safety, cutting power instantly if a fault causes electricity to leak into the water. They protect people and aquatic life, making them essential for pumps and lighting. Regular testing ensures they work effectively.

# Noisy Pump

A noisy pump can ruin the serene atmosphere of a water feature.

## Causes

- Low water levels causing the pump to run dry.
- Debris caught in the impeller.
- Worn or loose components.

## Solutions

### Check Water Levels

- Ensure the pump is fully submerged. Add water as needed.

### Clean the Pump

- Turn off the pump and remove it from the feature.
- Open the casing and clear debris (such as stones) from the impeller.
- Flush the pump and any attachments with clean water.

### Check Pump Placement

- If the pump is sitting directly on a hard surface, try placing it on a soft, vibration-absorbing material like foam or rubber.

### Inspect for Wear and Tear

- Tighten loose components.
- Replace worn impellers or seals as necessary.

TOP  
TIPS



Impellers are rarely covered by a warranty as they are classed as a consumable.



## Algae Growth

Algae can make your water feature look unkempt and clog the system.

### Prevention

- Use a UV filter or algaecide.
- Position the feature in partial shade to reduce sunlight exposure.
- Add aquatic plants to compete with algae for nutrients.



### Solutions

#### Manual Removal

- Skim visible algae with a net.
- Scrub surfaces with a non-abrasive brush.



#### Water Treatments

- Add specialist treatment such as PondXpert Anti-Green Water as per manufacturer instructions.
- Install a biological filter to maintain water quality.

## Final Tips

**Regular Maintenance:** Clean your water feature every few weeks to prevent issues.

**Use Quality Components:** Invest in durable materials and reliable pumps.

**Monitor Water Levels:** Refill as needed to prevent pumps from running dry.

**By following this guide, you can address common problems effectively and keep your water feature in excellent condition.**



# About PondXpert

If this catalogue has sparked your creativity, you'll be pleased to know that we offer much more than just water features!

Specializing in ponds for nearly 20 years, we have been providing the UK with innovative equipment since 2005.

Our extensive product range includes high-performance pumps, filters, vacuums, fish food, water treatments and a variety of accessories to suit all your pond needs.

At PondXpert, we take great pride in delivering exceptional customer service. Whether you're a shop owner needing products urgently or a customer seeking technical support, we're always here to help.



# CONTACT INFO



## SALES MANAGERS

**South East, South West,  
NI & ROI**

**Tom Jeffery**

07711 994927

[t.c.jeffery@pondXpert.co.uk](mailto:t.c.jeffery@pondXpert.co.uk)

## SALES OFFICE

**Billingham**

**Joanne Softley &**

**Nick Hodgman**

01642 370898

[sales@pondXpert.co.uk](mailto:sales@pondXpert.co.uk)

**Midlands & North**

**Steve Cooper**

07494 156772

[steve.cooper@pondXpert.co.uk](mailto:steve.cooper@pondXpert.co.uk)

**A3 Bentley Avenue  
Billingham  
TS23 4BU**

[www.pondXpert.co.uk](http://www.pondXpert.co.uk)



**pondXpert**

STEP BY STEP POND SUCCESS